




For all HOPPE door and window handles ...



HOPPE 



**10-year
operational
guarantee**

General information

Product innovations, new models and series, explanation of symbols, organisation of the catalogue, layout of tables, product ranges and price-positioning page 4

1

Programme for interior doors



Interior door handles page 9

2



Interior door handles – Antiqua page 183

3



HCS® – HOPPE Compact System page 205

4



Programme for sliding doors page 237

5

Programme for entrance doors



Pull handles page 257

6



Complementary products page 283

7



Accessoires page 291

8



Presentations Systems page 301

9



Appendix page 311

10

New models and product series, product innovations



Page

New models

Alta (E1433).....	164
Bremen (1505).....	77
Detroit (1644, E1644)	91
Lecce (1405)	99
Ibiza (1171).....	172
Rotterdam (E1401)	127
Seattle (168L)	179
Sliding door sets.....	250

New product series

Baden (E1388).....	165
Dallas (1643, E1643)	85
Dublin (1124).....	169
Essen (E1555)	171
Los Angeles (M1642).....	101
Maribor (1766).....	173
Ravenna (M1788)	188
Utrecht (E1444)	180

Product innovation

Further details about the **window handle with adjustable spindle** can be found in our manual: **HOPPE – Handle of excellence. Basic information.**

How to use this catalogue

With the help of the information below, you will see how the catalogue is organised.

1. According to product groups:

On the first level, the catalogue is organised according to the product groups suitable for the various applications.



Interior door handles



HCS®



Sliding door sets



Pull handles ...

The complementary products, accessoires and presentation systems are following (see also index on p. 3).

2. According to product lines:

On the second level the catalogue is classified into the three product lines based on technology, visual appearance, service and price.



duravert® product line



duraplus® product line



duranorm® product line

3. According to series names:


Subsequently, the products are listed alphabetically by series name. Products not belonging to any series at all are shown after the series, for example pull handles, security sets and knobs or pads on backplate etc.



Acapulco



Athinai



Bergen



Capri ...

4. According to materials:

If a series is available in several materials, then the material will be listed in the following order: aluminium, stainless steel, nylon and brass. For example, the Verona series comes in three materials, aluminium, stainless steel and brass.



Verona in **aluminium**




Verona in **stainless steel**



Verona in **brass**



Symbol key:



Door thickness
(in mm)



Spindle size
(in mm)



Fire-resistant door set
(For further details please refer to our manual: HOPPE – Handle of excellence. Basic information.)



Core range
(for further information see p. 8)



Service range
(for further information see p. 8)

How are the tables set out?

Explanation using the example of a page with a brass interior door set from the duraplus® product line:

Series names

The series name is determined by the design of the handle, regardless of material. So, for example, all products used in conjunction with a particular handle have the same name, whether the material of the handle be aluminium, stainless steel or brass.

The names themselves are well-known towns or islands, the spelling of which is determined by the language of the appropriate country.

Design number

The design number serves as a further subdivision and search criterion. In the case of interior doors, the first number stands for the handle and the second for the backplate (or the rose). The letter in front of the number shows the material (in this example M for Messing, which is brass in English. Remember there is no letter in the case of aluminium). With security hardware, the design number always begins with the number of the knob.

Specification

This text briefly outlines the area of application of the product. The specification texts always refer to the product version shown (in this example a handle set).

Product illustration

With interior door sets, a door handle half set is always shown.

With security sets, a knob (pad) / handle set is always shown.

HOPPE special attribute

Here those products are highlighted that come with a special HOPPE technology feature. (For further details please refer to our manual: HOPPE – Handle of excellence. Basic information manual.)

Description

This column lists the various types of products available in this design (with this handle shape and this backplate).

As the tables of the interior door sets section always describe a handle set, you find a picture of a privacy set and a knob or pad / handle set as an example on page 7.

Door thickness

The exact door thickness is given in mm in this column. (For further details please refer to our manual: HOPPE – Handle of excellence. Basic information.)

Technical drawing

The technical drawing always refers to the product version shown in the picture and described by the specification text.

Product lines

This is where the product line duravert®, duraplus® or duranorm® is indicated. (For further details please refer to our manual: HOPPE – Handle of excellence. Basic information.)

Verona (Messing)




Quick-Fit

M151/265

HOPPE brass handle set on backplate for

- Tested to **DIN EN 1906**: 37-0140A, handle
- Bearing: loose door handles, non-hand
- Connection: **HOPPE Quick-Fit conn**
- Fixing: visible, multi-purpose screws

Article description	Door thickness	Spindle size	Key Dis
Handle set on backplate	32-48	8	
	66-82	8	




duraplus®

You will find a product overview, colour-chart and

Examples


Privacy door



On the exterior:
emergency
release (SK)

On the interior:
turn (OL)

Knob(pad)/handle set



On the exterior
with knob (pad)

On the interior
with handle

You can find out more about knob(pad)/handle sets in our manual: HOPPE – Handle of excellence. Basic information.

Finish

The finish is given by the HOPPE finish key. The letter **R** in the finish code means the handle comes with the Resista® surface guarantee. (For further details please refer to our manual: HOPPE – Handle of excellence. Basic information.)

Item number

The item number written in **bolt** always refers to the product version shown and described.

Core range

The white fields in the table indicate products of the core range (for further information see p. 8).

Service range

The red-shaded fields indicate products of the service range (for further information see p. 8).

Packing unit

This shows how many products are packed into one folding box.

Outer cartons

This column shows how many products are packed into an outer carton (transport packaging).

Text below chart

This text gives additional information about the set as well as cross-reference to products.

Keyhole/distance

Keyhole type and distance are given here. (For further details please refer to our manual: HOPPE – Handle of excellence. Basic information.)

Spindle size

The exact size of the spindle used in the handle (or in the turn button of a privacy set) is given here in mm. (For further details please refer to our manual: HOPPE – Handle of excellence. Basic information.)

Footer text

Indicates three important sections

for interior doors:
handle set for commercial applications
with spring cassettes, maintenance-free slide bearing
with HOPPE solid spindle (spindle-receiver-components)

Keyhole/distance	F71	F77-R			PU.	O.C.
	Article no.	Article no.				
90	2828717	2828768			1	10
85	2828725	2828784			1	10
85	2828741	2828792			1	10

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®


and the product range features at the back of the catalogue.

Product ranges and price-positioning

Delivery times (from date of order until dispatch from HOPPE) and pack-units

Core range


**Gross prices
less rebate**



Transport packaging
(outer carton)


Service range

**Gross prices
less rebate**
(NB: different rebate
from core range)



Inner box

Opened pack
(additional costs of **2,50 € net**)



Overview interior door handles




The duravert® product line

for the discerning




Acapulco
M1558
page 16




Athinai
M156
page 20




Bergen
M1602
page 24




Brisbane
1670
page 28



Bruxelles
M129
page 32




Capri
M1950
page 36



Genova
M1535
page 40



Las Vegas
E1440
page 46



Melbourne
1672
page 50



Monte Carlo
M1550
page 54





The duraplus® product line

more than usual



Amsterdam
(E)1400
page 63



Bonn
E150
page 75




Dallas
(E/M)1643
page 85



Lecce
1405
New
page 99



Marseille
(E)1138
page 107



Ródos
M1603
page 125



Antwerpen
E1420
page 67



Bremen
1505
New
page 77



Detroit
(E)1644
New
page 91



Los Angeles
M1642
New
page 101




New York
1810
page 113



Rotterdam
E1401
New
page 127



Atlanta
(M)1530
page 69



Cannes
M1545
page 79



Houston
M1623
page 95



Luxembourg
199
page 105




Paris
(E)138
page 119



Stockholm
(E)1140
page 129




Overview interior door handles



Tôkyô

1710

page 135



Verona

1510,
E1800,
M151


page 143



Trondheim

E1430

page 137



Vitória

(M)1515


page 149



Vancouver

139

page 141



Knobs

page 155





The duranorm® product line

consistently good value



Alta
E1433
New
page 164



Baden
E1388
New
page 165



Birmingham
1117
page 166



Cadiz
1767
page 167



Dubayy
1107
page 168




Dublin
1124
New
page 169




Essen
E1555
New
page 171




Ibiza
1171
New
page 172




Maribor
1766
New
page 173



Roissy
M1941
page 175




Santiago
M1740
page 177



Seattle
168L
New
page 179



Utrecht
E1444
New
page 180



Knob, french door pull handle
page 181



Interior door handles



for the discerning **duravert®**



An unusual handle as multifaceted as the Mexican town it's named after.



Acapulco (Brass)




Quick-Fit¹

M1558/18K/18KS


HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws


Description			Keyhole	F41-R	F45-R	F49-R	F74-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	35-53	8		2971548	2971661	2971581	2971628	1	10
		8		2971556	2971679	2971599	2971636	1	10
	54-72	8		2971564	2971687	2971601	2971644	1	10
	37-51	8		2971572	2971695	2971610	2971652	1	10
		5-8							



polished finishes
satin front surface



Two-tone finishes:



The Resista[®] guarantee applies to all finishes with the letter **R** in the finish key.

Resista[®]

With the F74-R finish, the rose and upper and lower surfaces of the handle are satin and the front surface is polished. The F41-R and F49-R finishes are mono-chrome.

Matching products for other applications, available upon request:



Secustik[®] M0558/US918

Secustik[®] window handle

Finish shown: **F45-R**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-FitPlus

M1558/847

HOPPE Quick-FitPlus brass handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Description			F42-R/F69	P.U.	O.C.
Handle set on rose	35-45	8	3201211	1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.

2





Quick-FitPlus

E847S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Description			Keyhole	F69	P.U.	O.C.
Escutcheon, pair				3189881	5	25
				3189929	5	25
Escutcheon, pair	35-45	5-8		3189953	2	10



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.



Classical, timeless beauty –
like its namesake






Quick-Fit

M156/19K/19KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description	Keyhole	F49/F69 Article no.	F77-R/F52-R Article no.	P.U.	O.C.
Handle set	8	2820820	3054611	1	10
		2820838	3054629	1	10
	8 5-8	2823051	3054645	1	10



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solutions:

HCS® door handle210
Pull handles262

Matching products for other applications, available upon request:



Secustik® M056/US937

Secustik® window handle

Finish shown: **F49/F69**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



A series as clear as the
cool north











Quick-Fit

M1602/18K/18KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F49/F9	F77-R/F52-R			P.U.	O.C.
				Article no.	Article no.				
Handle set	35-53	8		3137782	3137846			1	10
				3137803	3137854			1	10
	37-51	8 5-8		3137820	3137889			1	10



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®




Quick-Fit

M1602/19K/19KS


HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F49/F9	F72/F9	F77-R/F52-R	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set	35-53	8		2820969	2851571	3054813	1	10
				2820993	2851597	3054821	1	10
	54-72	8		2821021	on request	3054830	1	10
					2858781		1	10
38-42	8							
38-47	8	5-8		2825461		3054848	1	10



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Matching products for other applications, available upon request:



Secustik® M029/US937

Secustik® window handle

Finish shown: **F49/F9**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



Simple lines and well thought-out functionality – not unlike Brisbane












Quick-Fit¹

1670/19K/19KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1-2	F9-2			P.U.	O.C.
				Article no.	Article no.				
Handle set	35-45	8		2825209	2825989			1	10
				2825217	2826156			1	10
	65-75	8		2825313	2826199			1	10
	37-47	8 5-8		2825778	2826391			1	10



Matching products for other applications, available upon request:



Secustik^{®1} 0670/US956

Secustik[®] window handle

Finish shown: **F1-2**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



An elegant series – and like
Brussels, worth a closer look






Quick-Fit

M129/19K/19KS


HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F49-R/F98-R	F77-R	F77-R/F52-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	32-47	8		2821857	2821822	3054899	3054952	1	10
				2821890	2821849	3054901	3054961	1	10
	64-79	8		2821937	2821929	3054910	3054979	1	10
	38-47	8 5-8		2825495	2824513	3054928	3054987	1	10



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Matching products for other applications, available upon request:



Secustik® M029/US937

Secustik® window handle

Finish shown: **F77-R**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



A series exuding charm and popularity –
like this famous Italian island











Quick-Fit

M1950/15K/15KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F49/F69				P.U.	O.C.
				Article no.					
Handle set	30-55	8		2823511				1	10
				2823529				1	10
	38-51	8 5-8		2833604				1	10



Further solution:
HCS® door handle 211

Matching products for other applications, available upon request:



M0950/U9

Window handle
Finish shown: **F49/F69**






Quick-FitPlus

M1950/847

HOPPE Quick-FitPlus brass handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Description			F49/F69	P.U.	O.C.
Handle set on rose	35-45	8	3201254	1	10



Further solution:
HCS® door handle 211

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.

2










Quick-FitPlus

E847S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Description			Keyhole	F69	P.U.	O.C.
				Article no.		
Escutcheon, pair				3189881	5	25
				3189929	5	25
Escutcheon, pair	35-45	5-8		3189953	2	10



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.



Fascinatingly attractive –
like this bustling Italian port






M1535/265

HOPPE brass handle set on backplate for interior doors:


- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle-receiver-components)
- Fixing: visible, multi-purpose screws

Article description	38-44	8/ 8,5	Keyhole/ Distance	F45-R	F75-R			P.U.	O.C.
				Article no.	Article no.				
Handle set on backplate			90	2854000	2854026			1	10
			85	on request	on request			1	10

Quick-Fit



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista

Matching products for other applications, available upon request:



Secustik M0535/US956

Secustik® window handle

Finish shown: **F45-R**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.





Quick-Fit

M1535/19K/19KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description	Keyhole	F45-R Article no.	F75-R Article no.	P.U.	O.C.
Handle set	8	2825680	2825701	1	10
		2825698	2825727		
	8	2825743	2825751	1	10
		8	2825786		



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®




Quick-Fit

M35G/19K/19KS

HOPPE brass knob (pad) set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, set for commercial applications
- Bearing: loose cranked knobs (pads), non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description	Keyhole	F45-R Article no.	F75-R Article no.	P.U.	O.C.
Knob set on rose	8	2825807	2825815	1	10
		2825823	2825831		
	8	2825840	2825866	1	10
		8	2825874		



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®







Quick-FitPlus

M1535/29N/29NS

HOPPE Quick-FitPlus brass handle set on flat rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses and escutcheons with through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			Keyhole	F42-R/F69				P.U.	O.C.
				Article no.					
Handle set E29N/29NS	35-45	8		3854255				1	10
Handle set on rose E29N	35-45	8		3854271				1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.







Quick-FitPlus

M1535/29NR

HOPPE Quick-FitPlus brass handle set on flat rose with emergency release/turn for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial buildings
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with locking function and through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses, mortice lock case not required when using this set

Article description			Keyhole	F42-R/F69				P.U.	O.C.
				Article no.					
Handle set on rose, with locking mechanism (inside)	35-45	8		3854280				1	10



No mortice lock with dead bolt is needed when using these roses with locking function.

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.






Quick-FitPlus

M1535/849

HOPPE Quick-FitPlus brass handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F42-R/F69	P.U.	O.C.
			Article no.		
Handle set on rose	35-45	8	3201238	1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.

2









Quick-FitPlus

E849S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69	P.U.	O.C.
				Article no.		
Escutcheon, pair				3190022	5	25
				3190031	5	25
				3190049	2	10
	35-45	5 8				



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.



The town that never sleeps – continually showing another side of itself – like the Las Vegas series











Quick-Fit¹

E1440Z/19K/19KS

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	38-44	8		2825971				1	10
				2825997				1	10
	38-44	8 5-8		2826025				1	10



Matching products for other applications, available upon request:



Secustik^{®1} E0440/US956

Secustik[®] window handle

Finish shown: **F69**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.






Quick-FitPlus

E1440Z/847

HOPPE Quick-FitPlus stainless steel handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Description			F42-R/F69				P.U.	O.C.
Handle set on rose	35-45	8	Article no.				1	10
			3189793					



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.

2










Quick-FitPlus

E847S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:



- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Description			Keyhole	F69				P.U.	O.C.
Escutcheon, pair				Article no.				5	25
				3189929				5	25
Escutcheon, pair	35-45	5-8		3189953				2	10



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.



Dynamic drive is the feature this series has in common with its Australian namesake












Quick-Fit

1672/19K/19KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1-2	F9-2			P.U.	O.C.
				Article no.	Article no.				
Handle set	35-45	8		2825858	2826009			1	10
				2825891	2826033			1	10
	65-75	8		2825903	2826041			1	10
	37-47	8		2826076	2826105			1	10



Matching products for other applications, available upon request:



Secustik 0672/US956

Secustik® window handle

Finish shown: **F9-2**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



A series of elegance and luxury
– a hint of the small principality
on the Riviera






Quick-Fit

M1550/25K/25KS

HOPPE brass handle set on rose with escutcheons for interior doors:


- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F46-R	F65-R	F74-R	F75-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	35-44	8		2827407	2827415	2827386	2826244	1	10
				2827440	2827458	2827423	2827343	1	10
	65-74	8		2827491	2827503	2823131	2827378	1	10
	36-43	8		2833663	2833671	2833655	2833647	1	10




satin finishes

polished front surface



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solution:

Pull handle265

With the F75-R finish, the rose and upper and lower surfaces of the handle are polished and the front surface is satin.

Matching products for other applications, available upon request:



M425

Sliding door set

Finish shown: **F46-R**

Detailed information on the sliding door sets can be found in our manual: HOPPE – Handle of excellence. Basic information.



Secustik® M0550/US920

Secustik® window handle

Finish shown: **F46-R**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-Fit

M855/25HK/25K/25KVS/1550

HOPPE brass knob (pad)/handle set on rose with escutcheons for entrance doors:


- Bearing: fixed knob (pad) on the outside, loose door handle on the inside, non-handed spring cassette, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid I-spindle (receiver component)
- Base: nylon, without supporting lugs for handle roses, with supporting lugs for escutcheons
- Fixing: concealed; multi-purpose screws for handle roses; bolt-through, alternate, M4 thread screws with sleeve nuts for escutcheons

Article description			Keyhole	F46-R	F65-R	F74-R	F75-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Knob set	37-42	8		2727511	2727529	2727537	2727545	1	4




polished front surface

satin finishes



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solution:

Pull handle265

With the F75-R finish, the rose and upper and lower surfaces of the knob are polished and the front surface is satin.





Quick-Fit

M1550/21/21S


HOPPE brass handle set on rose with escutcheons for profile doors:

- Tested to **DIN EN 1906**: 37-0140A
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F46-R	F65-R	F74-R	F75-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	35-44	8		2827538	2827546	2827520	2827511	1	4
	65-74	8		2827571	2827589	2827562	2827554	1	4



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solution:
Pull handle265

Interior door handles





more than usual **duraplus**[®]



2









Quick-Fit¹

1400/42K/42KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F1/F69	F9	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set (spindle – receiver handle)	37-47	8		3276900	3276951	3276942	1	10
Handle set*	37-47	8		3277081	3277101	3277099	1	10
Handle set (spindle – receiver handle)	37-47	8 5-8		3277030	3277072	3277048	1	10



* Note:

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Matching products for other applications, available upon request:



Secustik^{®1} 0400/US956

Secustik[®] window handle

Finish shown: **F1**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.










Quick-Fit

E1400Z/42K/42KS

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set (spindle – receiver handle)	35-45	8		3289524				1	10
				3289541				1	10
Handle set*	35-45	8		3278690				1	10
Handle set (spindle – receiver handle)	40-45	8 5-8		3289655				1	10



*** Note:**

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Matching products for other applications, available upon request:



Secustik® **E0400/US956**

Secustik® window handle

Finish shown: **F69**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-FitPlus

E1400Z/848

HOPPE Quick-FitPlus stainless steel handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F69			P.U.	O.C.
			Article no.				
Handle set on rose	35-45	8	3374497			1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.





Quick-FitPlus

E848S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Escutcheon, pair				3189988			5	25
				3189996			5	25
	35-45	5 8		3190006			2	10



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.








Antwerpen (Stainless steel)




E1420Z/42K/42KS

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	37-47	8		2072884				1	10
				2072876				1	10
	37-47	8 5-8		3047728				1	10













Quick-Fit

1530/42K/42KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F9			P.U.	O.C.
				Article no.	Article no.				
Handle set	35-45	8		3202601	3202610			1	10
				2954473	2910868			1	10
	45	8 5-8		3203330	3203348			1	10



Further solution:

HCS® door handles.....218

Matching products for other applications, available upon request:



Secustik® 0530/US952

Secustik® window handle

Finish shown: **F1**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-Fit

M1530/379

HOPPE brass handle set on backplate for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle-receiver-components)
- Fixing: visible, multi-purpose screws

Article description	Keyhole/Distance	F41-R Article no.	F71 Article no.	F72 Article no.	F77-R Article no.	P.U.	O.C.
Handle set on backplate	90	2821591	2821435	2821478	2821654	1	10
	85	2821611	2821443		2821662	1	10
	85	2821734	2821700	2821718		1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®










Quick-Fit¹

M1530/23K/23KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F71	F72	F77-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	32-47	8		2832071	2830260	2832054	2832089	1	10
				2832118		2832100	2832126	1	10
	64-79	8		2832185	2832169	2832177	2832193	1	10
	40-47	8		2832222	2824492	2832206	2832231	1	10



The Resista[®] guarantee applies to all finishes with the letter **R** in the finish key.

Resista[®]

Matching products for other applications, available upon request:



Secustik[®] M0530/US956

Secustik[®] window handle

Finish shown: **F77-R**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-FitPlus

M1530/29N/29NS

HOPPE Quick-FitPlus brass handle set on flat rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses and escutcheons with through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			Keyhole	F42-R/F69				P.U.	O.C.
				Article no.					
Handle set E29N/29NS	35-48	8		on request				1	10
Handle set on rose E29N	35-48	8		on request				1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.




Quick-FitPlus

M1530/29NR

HOPPE Quick-FitPlus brass handle set on flat rose with emergency release/turn for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial buildings
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with locking function and through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses, mortice lock case not required when using this set

Article description			Keyhole	F42-R/F69				P.U.	O.C.
				Article no.					
Handle set on rose, with locking mechanism (inside)	35-45	8		3854263				1	10



No mortice lock with dead bolt is needed when using these roses with locking function.

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.




Quick-FitPlus

M1530/849

HOPPE Quick-FitPlus brass handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description				F42-R/F69				P.U.	O.C.
				Article no.					
Handle set on rose	35-45	8		3201191				1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.





Quick-FitPlus

E849S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Escutcheon, pair				3190022				5	25
				3190031				5	25
			35-45	5 8		3190049			



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.












Quick-Fit¹

E150Z/42K/42KS

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Handle set (spindle – receiver handle)	35-45	8		3289938			1	10
				3289954			1	10
Handle set*	35-45	8		3278788			1	10
Handle set (spindle – receiver handle)	40-45	8		3289410			1	10



* Note:

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Matching products for other applications, available upon request:



Secustik^{®1} E050/US956

Secustik[®] window handle

Finish shown: **F69**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.











Quick-Fit

1505/42K/42KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F49/F9-2				P.U.	O.C.
				Article no.					
Handle set (spindle – receiver handle)	35-45	8		3895989				1	10
Handle set*	35-45	8		3895997				1	10
Handle set (spindle – receiver handle)	40	8 5-8		3896009				1	10



*** Note:**

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.





Quick-Fit


M1545/23K/23KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F49-R	F71	F72	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	35-55	8		2822227	2822235	2822180	2822198	1	10
				2822307	2822315	2822260	2822286	1	10
	56-76	8		2822411	2822446	2822374	2822391	1	10
	40-49	8		2825532	2825541	2825508	2825516	1	10

Article description			Keyhole	F73	F77-R			P.U.	O.C.
				Article no.	Article no.				
Handle set	35-55	8		2822201	2822251			1	10
				2822294	2822331			1	10
	56-76	8		2822403	2822454			1	10
	40-49	8		2825524	2825559			1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista

Further solution:
Pull handles268

Matching products for other applications, available upon request:



Secustik M0545/US956

Secustik® window handle

Finish shown: **F71**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.











Quick-Fit


M1545/30P/30PS

HOPPE brass handle set on rose with escutcheons for profile doors:

- Tested to **DIN EN 1906**: 37-0140U
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F49-R	F71	F72	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	35-55	8		2825591	2825604	2825567	2825575	1	4
	56-76	8			2825663	2825621	2825639	1	4

Article description			Keyhole	F73	F77-R			P.U.	O.C.
				Article no.	Article no.				
Handle set	35-55	8		2825583	2825612			1	4
	56-76	8		2825647	2825671			1	4



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solution:
Pull handles268



Spring cassette available on request.







Quick-FitPlus¹

M1545/29N/29NS

HOPPE Quick-FitPlus brass handle set on flat rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses and escutcheons with through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			Keyhole	F42-R/F69				P.U.	O.C.
				Article no.					
Handle set E29N/29NS	35-48	8		on request				1	10
Handle set on rose E29N	35-48	8		on request				1	10



Further solution:

Pull handles268

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.







Quick-FitPlus¹

M1545/29NR

HOPPE Quick-FitPlus brass handle set on flat rose with emergency release/turn for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial buildings
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with locking function and through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses, mortice lock case not required when using this set

Article description			Keyhole	F42-R/F69				P.U.	O.C.
				Article no.					
Handle set on rose, with locking mechanism (inside)	38-48	8		on request				1	10



No mortice lock with dead bolt is needed when using these roses with locking function.

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.




Quick-FitPlus

M1545/849

HOPPE Quick-FitPlus brass handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F42-R/F69	P.U.	O.C.
Handle set on rose	35-45	8	3201203	1	10



Further solution:

Pull handles268

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.

2





Quick-FitPlus

E849S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69	P.U.	O.C.
				Article no.		
Escutcheon, pair				3190022	5	25
				3190031	5	25
			35-45	5 8		3190049



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.











Quick-Fit

1643/52K/52KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F9			P.U.	O.C.
				Article no.	Article no.				
Handle set (spindle – receiver handle)	37-47	8		3652506	3652629			1	40
Handle set*	67-77	8		3652231	3652266			1	20
Handle set (spindle – receiver handle)	37-47	8 5-8		3652661	3653234			1	20



* Note:

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Matching products for other applications, available upon request:



Secu100® 1643/US950S (100 Nm)

Secustik®

Secu100® + Secustik® window handle

Finish shown: **F1**

Detailed information on the Secu100® + Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



Secustik® 0643/US944

Secustik® window handle

Finish shown: **F1**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



HS-0643/419/420

Lift/slide door set with shell

Finish shown: **F1**









Quick-Fit

E1643Z/52K/52KS **New**

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set (spindle – receiver handle)	35-45	8		3676971				1	10
Handle set*	35-45	8		3676997				1	10
Handle set (spindle – receiver handle)	40-45	8		3677113				1	20
				3703051				1	10



*** Note:**

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Matching products for other applications, available upon request:



Secu100® **E1643Z/US950S (100 Nm)**

Secustik®

Secu100® + Secustik® window handle

Finish shown: **F69**

Detailed information on the Secu100® + Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



Secustik® **E0643/US944**

Secustik® window handle

Finish shown: **F69**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-FitPlus

E1643Z/848 **New**

HOPPE Quick-FitPlus stainless steel handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F69			P.U.	O.C.
			Article no.				
Handle set on rose	35-45	8	3588583			1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.





Quick-FitPlus

E848S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			F69			P.U.	O.C.
			Article no.				
Escutcheon, pair			3189988			5	25
			3189996			5	25
		35-45	5 8		3190006		



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.




Quick-Fit

M1643/843K/843KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F49-R	F71	F77-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set (spindle – receiver handle)	37-52	8		3392601	3392636	3392572	3392661	1	10
Handle set*	62-74	8		3392610	3392644	3392581	3392679	1	10
Handle set (spindle – receiver handle)	38-48	8 5-8		3392628	3392652	3392599	3392687	1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

*** Note:**

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Further solution:

Pull handle269

Matching products for other applications, available upon request:



Secu100® + Secustik® M0643S/US943 (100 Nm)

Secu100® + Secustik®

Secu100® + Secustik® window handle

Finish shown: **F41-R**

Detailed information on the Secu100® + Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



Secustik® M0643/US943

Secustik®

Secustik® window handle

Finish shown: **F41-R**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



Secustik® PSK-M0643/US943

Secustik®

Secustik® window handle for parallel slide/tilt doors

Finish shown: **F41-R**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



HS-M0643/419N/423

Lift/slide door set with shell

Finish shown: **F41-R**



M43/843

Knob on rose

Finish shown: **F41-R**




Quick-FitPlus

M1643/848

HOPPE Quick-FitPlus brass handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F42-R/F69			P.U.	O.C.
			Article no.				
Handle set on rose	35-45	8	3429144			1	10



Further solution:

Pull handle269

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.





Quick-FitPlus

E848S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Escutcheon, pair				3189988			5	25
				3189996			5	25
			35-45	5 8		3190006		



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.






Sertos

1644F/52/52KVS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Meets the requirements of **DIN EN 1906**: 47-0130U, handle set for commercial applications
- Bearing: fixed/movable door handles, HOPPE **Sertos** clip-in technology, maintenance-free slide bearing
- Connection: hardened HOPPE solid profile spindle
- Base: steel for handle roses, nylon for escutcheons, supporting lugs
- Fixing: concealed, bolt-through, alternate, M5 thread screws for handle roses, multi-purpose screws for escutcheons

Article description			Keyhole	F1	F9			P.U.	O.C.
				Article no.	Article no.				
Handle set	40-45	8		3583053	3583176			1	10
				3583627	3583635			1	10
	40-45	8		3587521	3587564			1	4
Knob/handle set with knob 43L	40-45	8		3587636	3587695			1	4



Knob 43L




Quick-Fit

1644/52KV/52KVS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Meets the requirements of **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon, supporting lugs
- Fixing: concealed, bolt-through, alternate, multi-purpose screws

Article description			Keyhole	F1	F9			P.U.	O.C.
				Article no.	Article no.				
Handle set	37-42	8		3575299	3575504			1	40
				3575803	3575811			1	20
	37-42	8		3651757	3651765			1	20
Knob/handle set with knob 43L	37-42	8		3587599	3587601			1	8



Knob 43L




Sertos

E1644F/52/52KVS **New**

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Meets the requirements of **DIN EN 1906**: 47-0130U, handle set for commercial applications
- Bearing: fixed/movable door handles, HOPPE **Sertos** clip-in technology, maintenance-free slide bearing
- Connection: hardened HOPPE solid profile spindle
- Base: steel for handle roses, nylon for escutcheons, supporting lugs
- Fixing: concealed, bolt-through, alternate, M5 thread screws for handle roses, multi-purpose screws for escutcheons

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Handle set	40-45	8		3589367			1	10
				3589404			1	10
				3589412			1	4
Knob/handle set with knob E43	40-45	8		3590982			1	4




Quick-Fit

E1644Z/52KV/52KVS **New**

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Meets the requirements of **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon, supporting lugs
- Fixing: concealed, bolt-through, alternate, multi-purpose screws

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Handle set	37-42	8		3589324			1	10
				3589341			1	10
				3676381			1	10
Knob/handle set with knob E43	37-42	8		3590974			1	4






Quick-FitPlus

E1644Z/848 **New**

HOPPE Quick-FitPlus stainless steel handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F69			P.U.	O.C.
			Article no.				
Handle set on rose	35-45	8	3589308			1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.





Quick-FitPlus

E848S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Escutcheon, pair				3189988			5	25
				3189996			5	25
				3190006			2	10
		35-45	5 8					



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.











Quick-Fit¹

M1623/843K/843KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F49-R	F71	F77-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set (spindle – receiver handle)	37-52	8		3392484	3392513	3392441	3392548	1	10
Handle set*	62-74	8		3392492	3392521	3392468	3392556	1	10
Handle set (spindle – receiver handle)	38-48	8 5-8		3392505	3392530	3392476	3392564	1	10



The Resista[®] guarantee applies to all finishes with the letter **R** in the finish key.

Resista[®]

*** Note:**

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Matching products for other applications, available upon request:



Secustik[®] M0623/US943

Secustik[®] window handle

Finish shown: **F41-R**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-FitPlus

M1623/848

HOPPE Quick-FitPlus brass handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F42-R/F69	P.U.	O.C.
Handle set on rose	35-45	8	3429152	1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.

2





Quick-FitPlus

E848S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69	P.U.	O.C.
				Article no.		
Escutcheon, pair				3189988	5	25
				3189996	5	25
			35-45	5 8		3190006



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.





2









Quick-Fit

1405/42K/42KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F49/F9-2				P.U.	O.C.
				Article no.					
Handle set	35-45	8		3896017				1	10
	35-45	8		3896025				1	10
	40	8 5-8		3896033				1	10













Quick-Fit¹

M1642/843K/843KS **New**

HOPPE brass handle set on rose with escutcheons for interior doors:

- Meets the requirements of **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F49-R			P.U.	O.C.
				Article no.	Article no.				
Handle set (spindle – receiver handle)	37-52	8		3719011	3719045			1	10
Handle set*	62-74	8		3719029	3719053			1	10
Handle set (spindle – receiver handle)	38-48	8 5-8		3719037	3719061			1	10



The Resista[®] guarantee applies to all finishes with the letter **R** in the finish key.

Resista[®]

*** Note:**

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Matching products for other applications, available upon request:



Secustik[®] M0642/US943

Secustik[®] window handle

Finish shown: **F49-R**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



Quick-Fit¹ M1642/844P/844PS

Handle set on narrow rose

Finish shown: **F49-R**

Detailed information on the HOPPE Quick-Fit connection can be found in our manual: HOPPE – Handle of excellence. Basic information.



Secustik[®] PSK-M0642/US943

Secustik[®] window handle for parallel slide/tilt doors

Finish shown: **F49-R**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



HS-M0642/419N/423

Lift/slide door set with shell

Finish shown: **F49-R**









Quick-Fit¹

M1642/42K/42KS **New**

HOPPE brass handle set on rose with escutcheons for interior doors:

- Meets the requirements of **DIN EN 1906: 37-0140A**, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F49-R	F71		P.U.	O.C.
				Article no.	Article no.	Article no.			
Handle set (spindle – receiver handle)	37-52	8		3884323	3894231	3884331		1	10
Handle set*	62-74	8		3894257	3894302	3894281		1	10
Handle set (spindle – receiver handle)	38-47	8 5-8		3894353	3894370	3894361		1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

*** Note:**

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Matching products for other applications, available upon request:



Secustik®¹ M0642/US910

Secustik® window handle

Finish shown: **F49-R**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-FitPlus

M1642/848 **New**

HOPPE Quick-FitPlus brass handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F41-R/F69			P.U.	O.C.
			Article no.				
Handle set on rose	35-45	8	3734181			1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.





Quick-FitPlus

E848S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Escutcheon, pair				3189988			5	25
				3189996			5	25
			35-45	5 8		3190006		



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.



2






Quick-Fit

199/42K

HOPPE aluminium handle set on rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			F1		F9		P.U.	O.C.
			Article no.	Article no.				
Handle set	35-45	8	2813128	2813291			1	10



Matching products for other applications, available upon request:



Secustik® 099/US952

Secustik® window handle

Finish shown: **F1**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.






Quick-Fit

1138/42K/42KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F4	F9	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set	37-47	8		2839432	2839547	2947484	1	10
				2839459	2839694	2947572	1	10
	67-77	8		2839483	2839707	on request	1	10
	37-47	8		2839504	2839715		1	10
	40	8				2947599	1	10



Matching products for other applications, available upon request:



Secustik® 0138/US956

Secustik® window handle

Finish shown: **F1**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.








Quick-Fit


E1138Z/42K/42KS

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	35-45	8		3058048				1	10
				3058161				1	10
	40-45	5-8		3058216				1	10

2



Matching products for other applications, available upon request:



Secustik® E0138/US956

Secustik® window handle

Finish shown: **F69**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.







Quick-FitPlus

E1138Z/29N/29NS

HOPPE Quick-FitPlus stainless steel handle set on flat rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses and escutcheons with through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Handle set E29N/29NS	35-48	8		on request			1	10
Handle set on rose E29N	35-48	8		on request			1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.







Quick-FitPlus

E1138Z/29NR

HOPPE Quick-FitPlus stainless steel handle set on flat rose with emergency release/turn for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial buildings
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in handle roses with locking function and through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses, mortice lock case not required when using this set

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Handle set on rose, with locking mechanism (inside)	35-45	8		3842810			1	10



No mortice lock with dead bolt is needed when using these roses with locking function.

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.




Quick-FitPlus

E1138Z/849

HOPPE Quick-FitPlus stainless steel handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F69				P.U.	O.C.
			Article no.					
Handle set on rose	35-45	8	3189494				1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.

2





Quick-FitPlus

E849S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Escutcheon, pair				3190022				5	25
				3190031				5	25
				3190049				2	10



SK/OL

Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.














Quick-Fit¹

1810/273P

HOPPE aluminium handle set on backplate for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: visible, multi-purpose screws

Description			Keyhole/ distance	F1	F4	F9	P.U.	O.C.	
				Article no.	Article no.	Article no.			
Handle set	37-42	8		72	3272909		3272917	1	30
	35-45	8		90	3276715	3277339		1	30
	37-42	8		72	3272925		3272933	1	20
	35-45	8		85	3276740	3277347		1	20
	37-42	8		78	3272941		3272968	1	20
Knob/handle set with knob 53	37-42	8		72	3272976		3272984	1	8











Quick-Fit

1810/42K/42KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Description			Keyhole	F1	F4	F9	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set	35-45	8		3292061	3292109	3292096	1	10
				3292133	3292150	3292141	1	10
	40	8 5-8		3292230	3292256	3292248	1	20



Matching products for other applications, available upon request:



Secustik® 0810/US10

Secustik® window handle with adjustable spindle

Finish shown: **F1**

Detailed information on the Secustik® technology and the adjustable spindle can be found in our manual: HOPPE – Handle of excellence. Basic information.



Secustik® 0810/US10

Secustik® window handle

Finish shown: **F1**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



SecuDuplex® 0810SVS/U10

Window handle with SecuDuplex

Finish shown: **F1**






Detailed information on SecuDuplex can be found in our manual: HOPPE – Handle of excellence. Basic information.





1810/3346

HOPPE aluminium handle set on narrow backplate for profile doors:

- Tested to **DIN EN 1906**: 26-0130U
- Bearing: fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE solid spindle
- Base: stainless steel, supporting lugs
- Fixing: visible inside, bolt-trough, M6 thread screws, cover caps for screw heads

Description			Keyhole/ distance	F1	F9	F8707	F9016	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set		8	92	3257338	3257346	3257354	3257362	1	20
				3257371	3257389	3257397	3257400	1	20
Knob/handle set with knob 76G		8	92	3257426	3257434	3257442	3257451	1	10
				3257469	3257477	3257485	3257493	1	10
Pad/handle set with pad 554		8	92	3257506	3257522	3257531	3257549	1	10
				3257557	3257565	3257573	3257581	1	10



Pad 554

Knob 76G




Quick-Fit

1810/30P/30PS

HOPPE aluminium handle set on rose with escutcheons for profile doors:

- Tested to **DIN EN 1906**: 37-0140A
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Description			Keyhole	F1	F9			P.U.	O.C.
				Article no.	Article no.				
Handle set	55-65	8		3281303	3371245			1	10










137/42K – 42KS

- 1) HOPPE aluminium handle set on rose without escutcheons for interior doors:
- Meets the requirements of **DIN EN 1906**: 37-0140A, handle set for commercial applications
 - Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
 - Connection: HOPPE solid profile spindle (receiver – receiver components)
 - Base: nylon
 - Fixing: concealed, multi-purpose screws
- 2) HOPPE aluminium escutcheon pair for interior doors:
- Base: nylon
 - Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1			P.U.	O.C.
				Article no.				
1) Handle set on rose 137/42K	30-49	8		2246186			2	10
Handle 137, pair	30-49	8		523016			5	30
Rose 42K, pair				762712			10	100
2) Escutcheon 42KS, pair				762804			10	100
				762750			10	50
	45	8		1704608			5	20




Further solution:
HCS® door handles.....224



138L/300PI

- HOPPE aluminium handle set on backplate for interior doors:
- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
 - Connection: HOPPE profile spindle
 - Fixing: visible, multi-purpose screws

Article description			Keyhole	F1		F9		P.U.	O.C.
				Article no.	Article no.				
Set	30-59	8	without keyhole	1885306	1885331			1	18






Further solution:
HCS® door handles.....224




138L/304L

HOPPE aluminium handle set on flat square backplate for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Fixing: visible, multi-purpose screws

Article description			Keyhole/ Distance	F1	F9			P.U.	O.C.
				Article no.	Article no.				
Set	35-60	8	without keyhole	564712	564729			1	10
			 72	1776601			1	10	



Further solution:
HCS® door handles.....224

2









138L/42K/42KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Quick-Fit

Article description			Keyhole	F1				P.U.	O.C.
				Article no.					
Handle set (spindle – receiver handle)	35-45	8		3278999				1	10
Handle set*	35-45	8		3279035				1	10
Handle set (spindle – receiver handle)	40	8 5-8		3279019				1	10



*** Note:**
For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Further solution:
HCS® door handles.....224

Matching products for other applications, available upon request:



Secustik® 038/US956

Secustik® window handle

Finish shown: **F1**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



Quick-Fit¹

E138Z/353FL


1) HOPPE stainless steel door handle pair for interior doors:

- Tested to **DIN EN 1906**: 37-0140A
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Flange: for loose bearing

2) HOPPE stainless steel flat backplate pair for interior doors:

- Bearing: for loose door handles, maintenance-free slide bearing
- Fixing: visible, multi-purpose screws

Article description			Keyhole/ Distance	F69			P.U.	O.C.	
				Article no.					
1) Handle E138Z, pair	35-45	8		3289911			5	50	
2) Flat backplate E353FL, pair			without keyhole	602018			5	20	
				72	602001			5	20
				92	653379			5	20



Quick-Fit¹

E138Z/355FL


1) HOPPE stainless steel door handle pair for interior doors:

- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Flange: for loose bearing

2) HOPPE stainless steel flat square backplate pair for interior doors:

- Bearing: for loose door handles, maintenance-free slide bearing
- Fixing: visible, multi-purpose screws

Article description			Keyhole/ Distance	F69			P.U.	O.C.	
				Article no.					
1) Handle E138Z, pair	35-45	8		3289911			5	50	
2) Flat square backplate E355FL, pair			without keyhole	626052			5	20	
				72	625826			5	20
				85	626045			5	20












Quick-Fit¹

E138Z/42K/42KS

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set (spindle – receiver handle)	35-45	8		3290171				1	10
				3290162				1	10
Handle set*	35-45	8		3278921				1	10
Handle set (spindle – receiver handle)	40-45	8 5-8		3290154				1	10



*** Note:**

For door thicknesses different from the one shown in the table, please exchange the spindle.

To be used exclusively with **HOPPE spindles**.

Matching products for other applications, available upon request:



Secustik® **E038/US956**

Secustik® window handle

Finish shown: **F69**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Sertos

FS-E138F/353K

HOPPE fire-resistant stainless steel handle set on short backplate for interior doors:

- Tested to **DIN 18273** and **DIN EN 1906**: 47-B130U, handle set for commercial applications
- Bearing: fixed/movable door handles, HOPPE **Sertos** clip-in technology, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: steel, supporting lugs
- Fixing: concealed, bolt-through, M5 thread screws

Article description			Keyhole/ Distance	F69			P.U.	O.C.		
				Article no.						
Fire-resistant handle set on short backplate	F	40-65	9		72	625895			1	10




Sertos

FS-E138F/42/42S

HOPPE fire-resistant stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN 18273** and **DIN EN 1906**: 47-B130U, handle set for commercial applications
- Bearing: fixed/movable door handles, HOPPE **Sertos** clip-in technology, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: steel, supporting lugs
- Fixing: concealed, bolt-through, M4 thread screws

Article description			Keyhole	F69			P.U.	O.C.		
				Article no.						
Fire-resistant handle set	F	45-65	9			545971			1	10








Quick-Fit

M1603/23K/23KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F71	F98-R			P.U.	O.C.
				Article no.	Article no.				
Handle set	30-56	8		2830585	2830622			1	10
				2830649	2830673			1	10
	40-49	8		2830729	2830745			1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®



2









E1401F/42/42KVS **New**

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 47-0130U, handle set for commercial applications
- Bearing: fixed/movable door handles, HOPPE **Sertos** clip-in technology, maintenance-free slide bearing
- Connection: hardened HOPPE solid profile spindle
- Base: steel for handle roses, nylon for escutcheons, supporting lugs
- Fixing: concealed, bolt-through, alternate, M5 thread screws for handle roses, multi-purpose screws for escutcheons

Sertos

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Handle set	40-45	8		3409611			1	10
				3301141			1	10
	40-45	8 8		3358534			1	4





2










Quick-Fit¹

1140/42K/42KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F9			P.U.	O.C.
				Article no.	Article no.				
Handle set	37-47	8		2839061	2839117			1	10
				2839070	2839133			1	10
	67-77	8		2839109	2839141			1	10
	37-47	8		2839176	2839248			1	10



Matching products for other applications, available upon request:



Secustik[®] 0140/US956

Secustik[®] window handle

Finish shown: **F1**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



Quick-Fit


E1140Z/42K/42KS

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	35-45	8		3058304				1	10
	65-75	8		3058312				1	10
	40-45	8 5-8		3058321				1	10

2



Matching products for other applications, available upon request:



Secustik® E0140/US956

Secustik® window handle

Finish shown: **F69**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.








Quick-FitPlus

E1140Z/29N/29NS

HOPPE Quick-FitPlus stainless steel handle set on flat rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses and escutcheons with through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set E29N/29NS	35-48	8		on request				1	10
				on request				1	10
Handle set on rose E29N	35-48	8		on request				1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.







Quick-FitPlus

E1140Z/29NR

HOPPE Quick-FitPlus stainless steel handle set on flat rose with emergency release/turn for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial buildings
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in handle roses with locking function and through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses, mortice lock case not required when using this set

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set on rose, with locking mechanism (inside)	38-48	8		3842844				1	10



No mortice lock with dead bolt is needed when using these roses with locking function.

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.




Quick-FitPlus

E1140Z/848

HOPPE Quick-FitPlus stainless steel handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F69				P.U.	O.C.
			Article no.					
Handle set on rose	35-45	8	3189734				1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.

2





Quick-FitPlus

E848S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Escutcheon, pair				3189988				5	25
				3189996				5	25
				3190006				2	10



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.












Quick-Fit

1710/42K/42KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description		Keyhole	F1	F9			P.U.	O.C.	
			Article no.	Article no.					
Handle set	38-42	8		3112542	2919539			1	10
				2876794	2919854			1	10
	40	8 5-8		on request	2919547			1	10



Matching products for other applications, available upon request:



0710/U26

Window handle
Finish shown: **F1**






Quick-Fit

E1430Z/42K/42KS

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	35-45	8		2826068				1	10
				2826084				1	10
	40-45	5-8		2826113				1	10



Matching products for other applications, available upon request:



Secustik® E0430/US956

Secustik® window handle

Finish shown: **F69**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-FitPlus

E1430Z/29N/29NS

HOPPE Quick-FitPlus stainless steel handle set on flat rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses and escutcheons with through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set E29N/29NS	35-48	8		on request				1	10
				on request				1	10
Handle set on rose E29N	35-48	8		on request				1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.




Quick-FitPlus

E1430Z/29NR

HOPPE Quick-FitPlus stainless steel handle set on flat rose with emergency release/turn for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial buildings
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in handle roses with locking function and through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses, mortice lock case not required when using this set

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set on rose, with locking mechanism (inside)	38-48	8		3842852				1	10



No mortice lock with dead bolt is needed when using these roses with locking function.

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.




Quick-FitPlus

E1430Z/848

HOPPE Quick-FitPlus stainless steel handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			F69			P.U.	O.C.
			Article no.				
Handle set on rose	35-45	8	3189769			1	10



Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.





Quick-FitPlus

E848S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69			P.U.	O.C.
				Article no.				
Escutcheon, pair				3189988			5	25
				3189996			5	25
				3190006			2	10
	35-45	5 8						



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.









139/42K – 42KS


1) HOPPE aluminium handle set on rose without escutcheons for interior doors:

- Meets the requirements of **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: HOPPE solid profile spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

2) HOPPE aluminium escutcheon pair for interior doors:

- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1				P.U.	O.C.
				Article no.					
1) Handle set on rose 139/42K	30-49	8		2246127				2	10
Handle 139, pair	30-49	8		508679				5	30
Rose 42K, pair				762712				10	100
2) Escutcheon 42KS, pair				762804				10	100
				762750				10	50








Quick-Fit

1510/42K/42KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F9			P.U.	O.C.
				Article no.	Article no.				
Handle set	35-45	8		2919432	on request			1	10
				2876751	on request			1	10
	40	8 5-8		2919512	on request			1	10



Matching products for other applications, available upon request:



0510/U26

Window handle
Finish shown: **F1**



Quick-Fit¹


E1800Z/42K/42KS

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	35-45	8		2826130				1	10
				2826148				1	10
	40-45	8 5-8		2826172				1	10

2



Matching products for other applications, available upon request:



Secustik® **E0800/US956**

Secustik® window handle

Finish shown: **F69**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.









Quick-Fit¹

M151/265

HOPPE brass handle set on backplate for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle-receiver-components)
- Fixing: visible, multi-purpose screws

Article description			Keyhole/ Distance	F71	F77-R			P.U.	O.C.
				Article no.	Article no.				
Handle set on backplate	32-48	8		90	2828717	2828768		1	10
				85	2828725	2828784		1	10
	66-82	8		85	2828741	2828792		1	10



The Resista[®] guarantee applies to all finishes with the letter **R** in the finish key.

Resista[®]

Matching products for other applications, available upon request:



Secustik[®] M051/US956

Secustik[®] window handle

Finish shown: **F71**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.




Quick-Fit

M151/42K/42KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F49-R	F71		P.U.	O.C.
				Article no.	Article no.	Article no.			
Handle set	32-48	8		2823991	2823967	2823959		1	10
				2824011	2823975	2810728		1	10
	66-82	8		2824054	2824046	2824038		1	10
	38-47	8		2829971	2829963	2829947		1	10
		5-8							



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

2




Quick-Fit

M151/30P/30PS

HOPPE brass handle set on rose with escutcheons for profile doors:

- Tested to **DIN EN 1906**: 37-0140U
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F71	F77-R		P.U.	O.C.
				Article no.	Article no.	Article no.			
Handle set	32-48	8		2831297	2831271	2831300		1	4
				2831334	2831326	2831351		1	4



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®



Spring cassette available on page 300.






Quick-Fit¹

1515/42K/42KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F9			P.U.	O.C.
				Article no.	Article no.				
Handle set	37-47	8		2839969	2840249			1	10
				2839985	2840302			1	10
	67-77	8		2840011	2840345			1	10
	37-47	8 5-8		2840151	2840361			1	10



Matching products for other applications, available upon request:



Secustik^{®1} 0515/US956

Secustik[®] window handle

Finish shown: **F1**

Detailed information on the Secustik[®] technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



Quick-Fit


M1515/23K/23KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41-R	F49-R	F71	F72	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	32-47	8		2829453	2829461	2829349	2829357	1	10
				2829488	2829496	2829381	2829402	1	10
	64-79			2829517	2829533	2829429	2829437	1	10
	40-47	8		2830059	2830075	2830016	2830024	1	10

Article description			Keyhole	F73	F77-R			P.U.	O.C.
				Article no.	Article no.				
Handle set	32-47	8		2829365	2829470			1	10
				2829411	2829509			1	10
	64-79			2829445	2829541			1	10
	40-47	8		2830041	2830083			1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solution:
Pull handle269

Matching products for other applications, available upon request:



Secustik® M0515/US956

Secustik® window handle
Finish shown: **F71**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.







Quick-FitPlus

M1515/29N/29NS

HOPPE Quick-FitPlus brass handle set on flat rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses and escutcheons with through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description			Keyhole	F42-R/F69				P.U.	O.C.
				Article no.					
Handle set E29N/29NS	35-48	8		on request				1	10
Handle set on rose E29N	35-48	8		on request				1	10



Further solution:

Pull handle269

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.







Quick-FitPlus

M1515/29NR

HOPPE Quick-FitPlus brass handle set on flat rose with emergency release/turn for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial buildings
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with locking function and through-going supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses, mortice lock case not required when using this set

Article description			Keyhole	F42-R/F69				P.U.	O.C.
				Article no.					
Handle set on rose, with locking mechanism (inside)	38-48	8		3854298				1	10



No mortice lock with dead bolt is needed when using these roses with locking function.

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

The rose can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.




Quick-FitPlus

M1515/849

HOPPE Quick-FitPlus brass handle set on flat rose without escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140U, handle set for commercial applications
- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Fixing: plug-in stainless steel handle roses with supporting lugs
- Special feature: non-screw and tool-free fitting, 2 mm flat roses

Article description				F42-R/F69				P.U.	O.C.
				Article no.					
Handle set on rose	35-45	8		3201182				1	10



Further solution:

Pull handle269

Detailed information on the HOPPE Quick-FitPlus technology and the special door preparation/drilling can be found in our manual: HOPPE – Handle of excellence. Basic information.

Roses with short supporting lugs and through-going supporting lugs (available on request) can be fit with a spring cassette as an option: Z-RFL18 spring cassette and suitable drilling jig for door preparation see page 299.

2





Quick-FitPlus

E849S-SK

HOPPE Quick-FitPlus stainless steel flat escutcheon pair for interior doors:

- Fixing: self-adhesive escutcheons
- Special feature: non-screw and tool-free fitting, 2 mm flat escutcheons

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Escutcheon, pair				3190022				5	25
				3190031				5	25
				3190049					2
		35-45	5						
			8						



Detailed information on the HOPPE Quick-FitPlus technology can be found in our manual: HOPPE – Handle of excellence. Basic information.

On request, the escutcheons are available also with through-going supporting lugs.



Knobs (Aluminium)




53H/42K

HOPPE aluminium knob (pad) on rose for entrance doors (exterior):

- Bearing: loose knob, with thread
- Connection: thread adapter
- Base: nylon
- Fixing: concealed, one-sided from outside, for multi-purpose screws, fixing system for knobs (pads) on roses

Article description	Thread	F1	F4	P.U.	O.C.
		Article no.	Article no.		
Knob on rose, piece	M12	814787	814817	2	12




53H/60

HOPPE aluminium knob (pad) on rose for entrance doors (exterior):

- Bearing: loose knob (pad) with thread
- Connection: via threaded rod
- Fixing: concealed, from inside, M8 threaded rod with cap nut

Article description	Thread	F1	F4	P.U.	O.C.
		Article no.	Article no.		
Knob on rose, piece	M8	691661	518074	2	12






53S/42K

HOPPE aluminium knob (pad) on rose for entrance doors (exterior):

- Bearing: loose knob, with thread
- Connection: thread adapter
- Base: nylon
- Fixing: concealed, one-sided from outside, for multi-purpose screws, fixing system for knobs (pads) on roses

Article description		Thread	F1	F4			P.U.	O.C.
			Article no.	Article no.				
Knob on rose, piece		M12	814961	814978			2	12



2




60L/42K

HOPPE aluminium knob (pad) on rose for entrance doors (exterior):

- Bearing: loose knob, with thread
- Connection: thread adapter
- Base: nylon
- Fixing: concealed, one-sided from outside, for multi-purpose screws, fixing system for knobs (pads) on roses

Article description		Thread	F1	F4			P.U.	O.C.
			Article no.	Article no.				
Knob on rose, piece		M12	815074	814206			2	12



Knobs (Aluminium)




63-75/42K

HOPPE aluminium knob (pad) on rose for entrance doors (exterior):

- Bearing: loose knob, with thread
- Connection: thread adapter
- Base: nylon
- Fixing: concealed, one-sided from outside, for multi-purpose screws, fixing system for knobs (pads) on roses

Article description	Thread	F1	F4	P.U.	O.C.
		Article no.	Article no.		
Knob on rose, piece	M12	2047671	814299	2	12



84/42K – 84H/42K


1) HOPPE aluminium knob (pad) receiver-component for reinforced entrance doors (exterior):

- Bearing: loose knob (pad), with thread and spindle hole
- Connection: for HOPPE FDW-spindles (fixed) and HOPPE profile spindles (movable)

2) HOPPE aluminium knob (pad) on rose without escutcheon for entrance doors:

- Bearing: movable or fixed knob (pad) with thread
- Connection: for HOPPE expanding spindle or HOPPE FDW-spindles
- Base: nylon
- Fixing: concealed, for multi-purpose screws

Article description	Thread	F1	F4	P.U.	O.C.
		Article no.	Article no.		
1) Loose knob 84, piece	M10	2122749	2122757	2	12
1) Loose knob 84H, piece	M10	2125579	2125587	2	12
2) 84/42K knob fixed on rose or loose, piece	M10	2124357	2125000	2	12
2) 84H/42K knob fixed on rose or loose, piece	M10	2125536	2125544	2	12






E50/42

HOPPE stainless steel knob (pad) on rose for entrance doors (exterior):

- Bearing: fixed knob (pad)
- Base: steel, supporting lugs
- Fixing: concealed, from inside, for M5 thread screws

Article description	F69						P.U.	O.C.
	Article no.							
Knob on rose, piece							2	12



2




E58/42

HOPPE stainless steel knob (pad) on rose for entrance doors (exterior):

- Bearing: fixed knob (pad)
- Base: steel, supporting lugs
- Fixing: concealed, from inside, for M5 thread screws

Article description	F69						P.U.	O.C.
	Article no.							
Knob on rose, piece							2	12





Knobs (Stainless steel, brass)




E50G/55

HOPPE stainless steel knob (pad) on rose for profile doors:

- Bearing: fixed cranked knob (pad)
- Connection: for HOPPE FDW solid profile spindle
- Base: zamak
- Fixing: concealed, plastic dowels (order screws for plastic dowels, fixing nuts for aluminium doors or expanding lugs for PVC doors separately)


Article description			F69				P.U.	O.C.
			Article no.					
Knob fixed on rose (with FDW-solid profile spindle), piece	32-48	8	2159120				2	12
Knob fixed on rose, piece			3165345				2	12




M63/42K

HOPPE brass knob (pad) on rose for entrance doors:

- Bearing: movable or fixed knob (pad) with thread
- Connection: for HOPPE expanding spindle or HOPPE FDW-spindles
- Base: nylon
- Fixing: concealed, for multi-purpose screws

Article description		Thread	F41-R	F71	F73	F77-R	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Knob on rose, piece	8	M10	1904175	1904116	2404842	1904183	2	12



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®




M81H/42

HOPPE brass knob (pad) on rose for entrance doors:

- Bearing: fixed knob (pad)
- Fixing: concealed, multi-purpose screws

Article description				F41-R	F71	F73	F77-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Knob on rose, piece				3055621	3055630	3055648	3055656	2	12



Included fixing systems for wooden doors:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

2




M84/42K

HOPPE brass knob (pad) on rose for entrance doors:

- Bearing: movable or fixed knob (pad) with thread
- Connection: for HOPPE expanding spindle or HOPPE FDW-spindles
- Base: nylon
- Fixing: concealed, for multi-purpose screws

Article description		8	Thread	F41-R	F71	F77-R		P.U.	O.C.
				Article no.	Article no.	Article no.			
Knob on rose, cpiece			M10	2124824	2124816	2229765		2	12



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Interior door handles





2






consistently good value **duranorm**[®]




E1433Z/17K/17KS **New**

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	29-70	8		3887209				2	20
				3887217				2	20
	38-51	8 5-8		3887428				2	20






E1388Z/17K/17KS **New**

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	29-70	8		3882344				2	20
				3882352				2	20
	38-51	8 5-8		3883697				2	20




E1388Z/23P/23PS **New**

HOPPE stainless steel handle set on rose with escutcheons for profile doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, for multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	40-81	8		3882395				2	8






1117/202SP

HOPPE aluminium handle set on backplate for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle (spindle – receiver components)
- Fixing: visible, multi-purpose screws

Article description	Keyhole/Distance	F1	F2	F4	P.U.	O.C.	
							Article no.
Handle set on backplate	30-49 8	90	2539077	2540449	2540650	50	50
	27-47 8	85	2623471	2623498		20	20
	37-42 8 5-8	90	2539229	2540481	2540705	20	20




1117/88K/88KS

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle (spindle – receiver components)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description	Keyhole	F1	F2	F4	P.U.	O.C.	
							Article no.
Handle set	30-49 8		2546664	2546681	2546701	10	10
			2546672	2546699	2546710	10	10
	45 8 5-8		2546744	on request	2546761	10	10









1767/2705

HOPPE aluminium handle set on backplate for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE solid spindle
- Fixing: visible, multi-purpose screws

Article description			Keyhole/ Distance	F33-1	F271*			P.U.	O.C.
				Article no.	Article no.				
Handle set on backplate	30-55	8	 85	3817518	3817462			10	10

* Suitable for interior applications only.






1107/267

HOPPE aluminium handle set on short backplate for interior doors:

- Bearing: fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE solid spindle
- Fixing: visible, multi-purpose screws

Article description			Keyhole/ Distance	F1				P.U.	O.C.
				Article no.					
Handle set on backplate	32-50	8	60	3802527				25	25



1107/17K – 17KS


1) HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

2) HOPPE aluminium escutcheon pair for interior doors:

- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F249	F271*		P.U.	O.C.
				Article no.	Article no.	Article no.			
1) Handle set on rose 1107/17K	30-44	8		3802261	3836831	3836840		20	20
2) Escutcheon 17KS, pair				3481479	3848111	3848162		50	50
				3481428	3848082	3848154		50	50








* Suitable for interior applications only.




1124/843K/843KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F94-1	F249			P.U.	O.C.
				Article no.	Article no.				
Handle set	36-75	8		3796753	3796788			20	20
				3796761	3796796			20	20
	39-48	8 5-8		3796770	3796809			20	20



Matching products for other applications, available upon request:



0124/U35

Window handle
Finish shown: **F94-1**



1124/35P/35PS






Handle set on rose
Finish shown: **F94-1**




1124/24K/24KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F94-1	F249	F271*	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set	37-76	8		3679451	3795620	3795591	20	20
				3679477	3795638	3795603	20	20
	39-48	8		3795582	3795648	3795611	20	20








* Suitable for interior applications only.




E1555Z/17K/17KS **New**

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws




Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	29-70	8		3882361				2	20
				3882379				2	20
	38-51	8 5-8		3883726				2	20




E1555Z/23P/23PS **New**

HOPPE stainless steel handle set on rose with escutcheons for profile doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, for multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	40-81	8		3882459				2	8






1171/17K/17KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F94-1	F271*	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set				3242996	3794070	3794125	20	20
				3243067	3798231	3798257		
				3243104	3800636	3800644		



* Suitable for interior applications only.




1171/88K/88KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F1	F4	F94-1	F271*	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set				3246305	3798505	3794133	3794141	20	20
				3246330	3798521	3798556	3798564		
				3801196	3801217	3801233	3801250		



* Suitable for interior applications only.




1766/3022P **New**

HOPPE aluminium handle set on backplate for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Fixing: visible, multi-purpose screws

Article description	Keyhole/Distance	F94-1 Article no.	F249 Article no.	F271* Article no.	P.U.	O.C.
Handle set on backplate	70	3800695	3800679	3800652	10	10
	90	3800767	3800724	3800708	10	10
	72	3801401	3803298	3801372	10	10
	85	3800804	3800791	3800775	10	10
	90	3800898	3800880	3800855	10	10



* Suitable for interior applications only.

Matching products for other applications, available upon request:



0766/U23

Window handle
Finish shown: **F271**



1766/23P/23PS

Handle set on rose
Finish shown: **F271**




1766/17K/17KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F94-1	F249	F271*	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set	39-60	8		3800169	3800126	3800089	20	20
	49-70	8		3800177	3800134	3800097	20	20
	39-48	8 5-8		3800185	3800142	3800118	20	20



* Suitable for interior applications only.




1766/88K/88KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F94-1	F249	F271*	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set	39-60	8		3799161	3799137	3799102	20	20
	49-70	8		3799170	3799153	3799111	20	20
	40-49	8 5-8		3799591	3799583	3799575	20	20







* Suitable for interior applications only.




M1941/332P

HOPPE brass handle set on backplate for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE solid spindle
- Fixing: visible, M4 thread screws with sleeve nuts

Article description			Keyhole/ Distance	F41	F71			P.U.	O.C.
				Article no.	Article no.				
Handle set on backplate	34-63	8	 72	2266451	2248051			10	10
			 85	2040250	2039945			10	10



2

Matching products for other applications, available upon request:



M0941/U23






Window handle
Finish shown: **F71**




M1941/88K/88KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE solid spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41	F71			P.U.	O.C.
				Article no.	Article no.				
Handle set	34-63	8		2040276	2039101			20	20
				2040321	2039620			20	20
	36-41	8 5-8		2059065	2059049			20	20












M1740/332P

HOPPE brass handle set on backplate for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Fixing: visible, multi-purpose screws

Article description			Keyhole/ Distance	F41	F71	F73	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set backplate	38-47	8	 70	2840388	1751084	1998263	10	10
			 90	2840370	1751033	1997720	10	10
			 72	2325853	2325845		10	10
			 85	2840396	1751105	1998271	10	10



Matching products for other applications, available upon request:



M0740/U23

Window handle
Finish shown: **F71**



M1740/23P/23PS





Handle set on rose
Finish shown: **F71**




M1740/88K/88KS

HOPPE brass handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F41	F49	F71	F73	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	38-47	8		2840329	2839555	1751201	1885939	20	20
				2840353	2839563	1751210	1885963	20	20











168L/88K/88KS **New**

HOPPE aluminium handle set on rose with escutcheons for interior doors:

- Bearing: sprung fixed/movable door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description			Keyhole	F94-1	F249	F271*	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set	39-60	8		3738107	3738078	3738019	20	20
	49-70	8		3738115	3738086	3738027	20	20
	40-46	8 5-8		3738123	3738094	3738035	20	20



* Suitable for interior applications only.

2

Matching products for other applications, available upon request:



068L/U23

Window handle
Finish shown: **F271**



168L/30P/30PS






Handle set on rose
Finish shown: **F271**




E1444Z/17K/17KS **New**

HOPPE stainless steel handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: HOPPE profile spindle
- Base: nylon, supporting lugs
- Fixing: concealed, multi-purpose screws




Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	35-54	8		3883945				2	20
	55-74	8		3883953				2	20
	40-48	8 5-8		3885140				2	20




E1444Z/23P/23PS **New**

HOPPE stainless steel handle set on rose with escutcheons for profile doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle (receiver – receiver components)
- Base: nylon
- Fixing: concealed, for multi-purpose screws

Article description			Keyhole	F69				P.U.	O.C.
				Article no.					
Handle set	40-81	8		3882416				2	8






M40H/17K

HOPPE brass knob (pad) on rose for entrance doors:

- Bearing: fixed knob (pad)
- Base: nylon
- Fixing: concealed, for multi-purpose screws

Article description	F71					P.U.	O.C.
	Article no.						
Knob, piece					3055613	10	10





430

HOPPE aluminium pull handle for French doors:

- Fixing: visible, for multi-purpose screws

Article description	Dimension	F1	F2	F4	P.U.	O.C.
		Article no.	Article no.	Article no.		
Pull handle, piece	90 mm	517077	517060	517053	50	50





3

Overview interior door handles – Antiqua



The duravert® product line

for the discerning



Ravenna
M1788
New
page 188



Singapore
M172
page 192






The duraplus® product line

more than usual



Elba
M1613
page 199



Valencia
M170
page 201



Wien
M123
page 203



Interior door handles – Antiqua



for the discerning **duravert**[®]



This series combines European flair and Asian culture into an extravagant handle set on backplate.



3



Quick-Fit


M1788/2788N **New**

HOPPE brass handle set on backplate for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Backplates: outside with supporting lugs, inside without
- Fixing: visible inside, bolt-through, M4 thread screws

Article description			Keyhole/ Distance	F54	F55	F56	F73-1	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set on backplate	45-50	8	72	3911109	3911117	3911133	3911070	1	10

Article description			Keyhole/ Distance	F73M-1	F76	F77-R	P.U.	O.C.
				Article no.	Article no.	Article no.		
Handle set on backplate	45-50	8	72	3911150	3911141	3993159	1	10



Finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Matching products for other applications, available upon request:



Secustik® M0788/US910

Secustik® window handle

Finish shown: **F56**

Detailed information on the Secustik® technology can be found in our manual: HOPPE – Handle of excellence. Basic information.



This series, like the city, is a successful blend of the traditional and modern








3




M172/15K-2/15KS-2

HOPPE brass handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: HOPPE profile spindle (spindle – receiver components)
- Base: nylon
- Fixing: visible, multi-purpose screws

Article description			Keyhole	F54	F55	F56	F76	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	30-66	8		2450961	2450970	2450988	2450996	1	10
				2451956	2451972	2451981	2451999	1	10
	36-45	8 5-8		2480466	2480482	2480491	2480511	1	10



Finishes:



Matching products for other applications, available upon request:



M072/7

Window handle
Finish shown: **F56**

Interior door handles – Antiqua



more than usual **duraplus**®





3




M1613/300LF

HOPPE brass handle set on narrow backplate for French doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: HOPPE profile spindle (receiver – receiver components)
- Fixing: visible, multi-purpose screws

Article description			Keyhole/ Distance	F54	F55	F56	F76	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set on backplate	60-81	8	85	2931360	2931394	2931407	2931431	1	4




M1613/88K-2/88KS-2

HOPPE brass handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: HOPPE profile spindle (spindle – receiver components)
- Base: nylon
- Fixing: visible, multi-purpose screws

Article description			Keyhole	F54	F55	F56	F76	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	32-52	8		2931001	2931010	2931036	2931044	1	10
	62-82	8		2931052	2931061	2931079	2931095	1	10
	41-51	8 5-8		2931221	2931247	2931255	2931263	1	10










3




M170/15K-2/15KS-2

HOPPE brass handle set on rose with escutcheons for interior doors:

- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: HOPPE profile spindle (spindle – receiver components)
- Base: nylon
- Fixing: visible, multi-purpose screws

Article description			Keyhole	F54	F55	F56	F76	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	28-68	8		2450929	2450937	2450945	2450953	1	10
				2451905	2451921	2451930	2451948	1	10
	38-47	8 5-8		2480415	2480431	2480440	2480458	1	10













Quick-Fit


M123/15K-2/15KS-2

HOPPE brass handle set on rose with escutcheons for interior doors:

- Tested to **DIN EN 1906**: 37-0140A, handle set for commercial applications
- Bearing: loose door handles, non-handed spring cassettes, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (spindle – receiver components)
- Base: nylon
- Fixing: visible, multi-purpose screws

Article description			Keyhole	F54	F55	F56	F76	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Handle set	30-61	8		2837066	2837074	2837091	2837103	1	10
				2837111	2837138	2837146	2837154	1	10
	38-47	8 5-8		2838798	2838801	2838819	2838827	1	10





Overview HCS® – HOPPE Compact System



The duravert® product line

for the discerning



Athinai
HCS® M156S
page 210



Capri
HCS® M1950S
page 211



Perth
HCS® A1880
page 212





The duraplus® product line

more than usual



Arles
HCS® A197S
page 216




Atlanta
HCS® A1530
page 218




Groningen
HCS® A1885
page 220



London
HCS® A113
page 222



Paris
HCS® A(M/K)
138S
page 224



**HCS®
supplementary
range**
page 229



**HCS®
Clip-in
components**
page 235



HCS® – HOPPE Compact System



for the discerning **duravert®**





HCS® M156S



HCS® with brass door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: brass with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: stainless steel with threaded nylon insert
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F49/F69	F77-R/F52-R			P.U.	O.C.
			Article no.	Article no.				
Door handle, set Passage		Flush 35-43	2571042	3054725			1	10
			Rebated 38-43	2570912	3054733			1
Slot.head/Turn button	SK/OL-15	Flush 35-43	2571051	3054784			1	10
			Rebated 38-43	2571085	3054792			1
Cylinder/Turn button	15/OL-15	Flush 35-43	2571069	3054768			1	10
			Rebated 38-43	2571093	3054776			1
Cylinder/Cylinder	15/15	Flush 35-43	2571077	3054741			1	10
			Rebated 38-43	2571114	3054750			1



Two-tone finishes:



F49/F69



F77-R/F52-R

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Combination decorative rings:

Handle:	Decorative ring:
F49/F69	F69
F77-R/F52-R	F77-R

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.

Further solutions:
 Interior door handle.....22
 Pull handles262




HCS® M1950S

HCS® with brass door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: brass with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: stainless steel with threaded nylon insert
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F49/F69				P.U.	O.C.
			Article no.					
Door handle, set Passage			Flush 35-43	2492416			1	10
			Rebated 38-43	2492483			1	10
Slot.head/Turn button			Flush 35-43	2492491			1	10
			Rebated 38-43	2492512			1	10
Cylinder/Turn button			Flush 35-43	2492521			1	10
			Rebated 38-43	2492547			1	10
Cylinder/Cylinder			Flush 35-43	2492555			1	10
			Rebated 38-43	2492571			1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Combination decorative rings:
 Handle: F49/F69 Decorative ring: F69

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.

Further solution:
 Interior door handles.....38





HCS® A1880



HCS® with aluminium door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: aluminium with thread
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2/F9-2				P.U.	O.C.
			Article no.					
Door handle, set Passage		Flush 35-43	2537119				1	10
			Rebated 38-43	2537151				1
Emergency release/turn with red-green-indicator	RGSK/ OL- 15SEN	Flush 35-43	2537282				1	10
			Rebated 38-43	2537291				1
Slot.head/Turn button	SK/OL-15	Flush 35-43	2537160				1	10
			Rebated 38-43	2537194				1
Cylinder/Turn button	15/OL-15	Flush 35-43	2537207				1	10
			Rebated 38-43	2537240				1
Cylinder/Cylinder	15/15	Flush 35-43	2537258				1	10
			Rebated 38-43	2537274				1



Combination decorative rings:

Handle: F1-2/F9-2 Decorative ring: F1-2





Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.




HCS® GD A1880

HCS® with aluminium door handles and emergency release/turn for interior doors:

- Door type: for glass and partition doors (door thicknesses 8-10 mm)
- Version: non-keyed locking
- Adapter: aluminium with nylon base
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Fixing: via adapter, latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2/ F9-2 Article no.				P.U.	O.C.
Slot.head/Turn button	 SK/OL-15	8	2537338				1	10
		10	2537362				1	10
Cylinder/Turn button	 15/OL-15	8	2537389				1	10
		10	2537397				1	10
Cylinder/Cylinder	 15/15	8	2537400				1	10
		10	2537418				1	10



Combination decorative rings:

Handle: F1-2/F9-2 Decorative ring: F7037M

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.

HCS® – HOPPE Compact System



more than usual **duraplus®**




HCS® A197S



HCS® with aluminium door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: nylon with thread
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2		F9-2		P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Door handle, set Passage			Flush 35-43	2572248	2572264		1	10
			Rebated 38-43	2572256	2572281		1	10
Emergency release/turn with red-green-indicator	RGSK/ OL- 15SEN		Flush 35-43	2572521	2572547		1	10
			Rebated 38-43	2572539	2572555		1	10
Slot.head/Turn button	SK/OL-15		Flush 35-43	2572336	2572395		1	10
			Rebated 38-43	2572361	2572424		1	10
Cylinder/Turn button	15/OL-15		Flush 35-43	2572344	2572408		1	10
			Rebated 38-43	2572379	2572432		1	10
Cylinder/Cylinder	15/15		Flush 35-43	2572352	2572416		1	10
			Rebated 38-43	2572387	2572459		1	10



Combination decorative rings:

Handle:	Decorative ring:
F1-2	F7037M
F9-2	F7022M





Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.




HCS® GD A197S

HCS® with aluminium door handles for interior doors:

- Door type: for glass and partition doors (door thicknesses 8-10 mm)
- Version: standard
- Adapter: aluminium with nylon base
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Fixing: via adapter, latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2 Article no.				P.U.	O.C.
Door handle, set Passage		8	2694211				1	10
Slot.head/Turn button	 SK/OL-15	8	2574041				1	10
		10	2574059				1	10
Cylinder/Turn button	 15/OL-15	8	2574067				1	10
		10	2574075				1	10
Cylinder/Cylinder	 15/15	8	2574083				1	10
		10	2574091				1	10



Combination decorative rings:

Handle: Decorative ring:
F1-2 F7037M

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.





HCS® A1530



HCS® with aluminium door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: nylon with thread
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2	F2-2	F9-2	P.U.	O.C.
			Article no.	Article no.	Article no.		
Door handle, set Passage		Flush 35-43	2475907	2573005	2573013	1	10
			Rebated 38-43	2475940	2573021	2573030	1
Emergency release/turn with red-green-indicator	RGSK/ OL- 15SEN	Flush 35-43	2475991	2573460	2573486	1	10
			Rebated 38-43	2476061	2573478	2573494	1
Slot.head/Turn button	SK/OL-15	Flush 35-43	2573179	2573195	2573216	1	10
			Rebated 38-43	2573187	2573208	2573224	1
Cylinder/Turn button	15/OL-15	Flush 35-43	2573232	2573259	2573275	1	10
			Rebated 38-43	2573241	2573267	2573283	1
Cylinder/Cylinder	15/15	Flush 35-43	2475958	2573291	2573312	1	10
			Rebated 38-43	2475974	2573304	2573321	1



Combination decorative rings:

Handle:	Decorative ring:
F1-2	F7037M
F2-2	F7032M
F9-2	F7022M

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.


Further solution:
Interior door handle.....70




HCS® GD A1530

HCS® with aluminium door handles for interior doors:

- Door type: for glass and partition doors (door thicknesses 8-10 mm)
- Version: standard
- Adapter: aluminium with nylon base
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Fixing: via adapter, latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2		P.U.	O.C.
			Article no.			
Door handle, set Passage		8	2694202		1	10
Slot.head/Turn button	SK/OL-15	8	2574201		1	10
		10	2574219		1	10
Cylinder/Turn button	15/OL-15	8	2574243		1	10
		10	2574260		1	10
Cylinder/Cylinder	15/15	8	2574278		1	10
		10	2574294		1	10



Combination decorative rings:

Handle: Decorative ring:
F1-2 F7037M

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.

Further solution:
Interior door handle.....70




HCS® A1885

HCS® with aluminium door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: aluminium with thread
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2	F9-2			P.U.	O.C.
			Article no.	Article no.				
Door handle, set Passage		Flush 35-43	2546947	2546980			1	10
			Rebated 38-43	2546971	2547000			1
Emergency release/turn with red-green-indicator	RGSK/ OL- 15SEN	Flush 35-43	2547202	2547229			1	10
			Rebated 38-43	2547211	2547237			1
Slot.head/Turn button	SK/OL-15	Flush 35-43	2547018	2547051			1	10
			Rebated 38-43	2547042	2547077			1
Cylinder/Turn button	15/OL-15	Flush 35-43	2547085	2547114			1	10
			Rebated 38-43	2547106	2547131			1
Cylinder/Cylinder	15/15	Flush 35-43	2547149	2547173			1	10
			Rebated 38-43	2547165	2547190			1



Combination decorative rings:

Handle:	Decorative ring:
F1-2	F1-2
F9-2	F9-2

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.









HCS® GD A1885



HCS® with aluminium door handles for interior doors:

- Door type: for glass and partition doors (door thicknesses 8-10 mm)
- Version: standard
- Adapter: aluminium with nylon base
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Fixing: via adapter, latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2 Article no.				P.U.	O.C.
Door handle, set Passage		8	2694229				1	10
Slot.head/Turn button	 SK/OL-15	8	2547245				1	10
		10	2547261				1	10
Cylinder/Turn button	 15/OL-15	8	2547270				1	10
		10	2547288				1	10
Cylinder/Cylinder	 15/15	8	2547296				1	10
		10	2547309				1	10



Combination decorative rings:

Handle: Decorative ring:
F1-2 F7037M

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.
















HCS® A113



HCS® with aluminium door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: nylon with thread
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2	F2-2	F9-2	P.U.	O.C.	
			Article no.	Article no.	Article no.			
Door handle, set Passage			Flush 35-43	2572563	2572571	2572580	1	10
			Rebated 38-43	2572598	2572601	2572619	1	10
Emergency release/turn with red-green-indicator	 RGSK/ OL- 15SEN		Flush 35-43	2572934	2572951	2572977	1	10
			Rebated 38-43	2572942	2572969	2572985	1	10
Slot.head/Turn button	 SK/OL-15		Flush 35-43	2572660	2572686	2572707	1	10
			Rebated 38-43	2572678	2572694	2572715	1	10
Cylinder/Turn button	 15/OL-15		Flush 35-43	2572723	2572740	2572766	1	10
			Rebated 38-43	2572731	2572758	2572774	1	10
Cylinder/Cylinder	 15/15		Flush 35-43	2572782	2572803	2572820	1	10
			Rebated 38-43	2572791	2572811	2572838	1	10



Combination decorative rings:

Handle:

F1-2

F2-2


F9-2

Decorative ring:

F7037M

F7032M

F7022M







Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.




HCS® GD A113

HCS® with aluminium door handles for interior doors:

- Door type: for glass and partition doors (door thicknesses 8-10 mm)
- Version: standard
- Adapter: aluminium with nylon base
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Fixing: via adapter, latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2 Article no.				P.U.	O.C.
Door handle, set Passage		8	2694245				1	10
Slot.head/Turn button	 SK/OL-15	8	2574104				1	10
		10	2574112				1	10
Cylinder/Turn button	 15/OL-15	8	2574121				1	10
		10	2574139				1	10
Cylinder/Cylinder	 15/15	8	2574147				1	10
		10	2574155				1	10



Combination decorative rings:
Handle: Decorative ring:
F1-2 F7037M











Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.




HCS® A138S

HCS® with aluminium door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: nylon with thread
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2	F9-2			P.U.	O.C.
			Article no.	Article no.				
Door handle, set Passage			2571940	2571966			1	10
							1	10
Emergency release/turn with red-green-indicator			2572192	2572213			1	10
							1	10
Slot.head/Turn button			2572002	2572061			1	10
							1	10
Cylinder/Turn button			2572011	2572070			1	10
							1	10
Cylinder/Cylinder			2572029	2572088			1	10
							1	10



Combination decorative rings:

Handle:	Decorative ring:
F1-2	F7037M
F9-2	F7022M

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.

Further solution:
Interior door handles..... 120




HCS® GD A138S

HCS® with aluminium door handles for interior doors:

- Door type: for glass and partition doors (door thicknesses 8-10 mm)
- Version: standard
- Adapter: aluminium with nylon base
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Fixing: via adapter, latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F1-2					P.U.	O.C.
				Article no.					
Door handle, set Passage			8	2694253				1	10
Slot.head/Turn button	SK/OL-15		8	2573970				1	10
			10	2573988				1	10
Cylinder/Turn button	15/OL-15		8	2573996				1	10
			10	2574008				1	10
Cylinder/Cylinder	15/15		8	2574024				1	10
			10	2574032				1	10



Combination decorative rings:

Handle: F1-2 Decorative ring: F7037M

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.

Further solution:
Interior door handles..... 120




HCS® M138S

HCS® with brass door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: brass with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: brass with threaded nylon insert
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F41-R	F71			P.U.	O.C.	
			Article no.	Article no.					
Door handle, set Passage			Flush 35-43	2571368	2571341			1	10
			Rebated 38-43	3070979	798452			1	10
Slot.head/Turn button			Flush 35-43	2571448	798483			1	10
			Rebated 38-43	2571472	782277			1	10
Cylinder/Turn button			Flush 35-43	2571456	2571392			1	10
			Rebated 38-43	2571499	2571430			1	10
Cylinder/Cylinder			Flush 35-43	2571464	785506			1	10
			Rebated 38-43	2571501	788576			1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Combination decorative rings:

Handle:	Decorative ring:
F41-R	F41-R
F71	F71












Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.




HCS® K138S

HCS® with nylon door handles for interior doors:

- Door type: for flush wood doors
- Version: standard
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Decorative rings: nylon with thread
- Strike plate: none
- Fixing: via latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F7016M	F9005M	F9010M	P.U.	O.C.	
			Article no.	Article no.	Article no.			
Door handle, set Passage			Flush 35-43	2573523	2573507	2573515	1	10
			Rebated 38-43	2573566	2573540	2573558	1	10
Slot.head/Turn button	 		Flush 35-43	2573734	2573611	2573671	1	10
			Rebated 38-43	2573769	2573646	2573700	1	10
Cylinder/Turn button	 		Flush 35-43	2573742	2573620	2573689	1	10
			Rebated 38-43	2573777	2573654	2573718	1	10
Cylinder/Cylinder	 		Flush 35-43	2573751	2573638	2573697	1	10
			Rebated 38-43	2573785	2573662	2573726	1	10



Combination decorative rings:

Handle: F1-2 Decorative ring: F7037M

Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.








HCS® GD K138S



HCS® with nylon door handles for interior doors:

- Door type: for glass and partition doors (door thicknesses 8-10 mm)
- Version: standard
- Adapter: nylon
- System core: aluminium pressure die-casting
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise
- Fixing: via adapter, latch tube and decorative rings
- Special feature: combines door hardware and lock in a single system, door must be prepared accordingly

Article description	Version		F7016M	F9005M	F9010M	P.U.	O.C.
			Article no.	Article no.	Article no.		
Door handle, set Passage		8	on request	782116	on request	1	10
Slot.head/Turn button	SK/OL-15 	8	on request	2574358	2574391	1	10
		10	on request	2574374	on request	1	10
Cylinder/Turn button	 15/OL-15	8	on request	786916	on request	1	10
		10	782802	783748	2574411	1	10
Cylinder/Cylinder	 15/15	8	2574471	781690	2574438	1	10
		10	781829	781270	on request	1	10



Combination decorative rings:

Handle:	Decorative ring:
F7016M	F7016M
F9005M	F9005M
F9010M	F9010M


Detailed information on HCS® can be found in our manual: HOPPE – Handle of excellence. Basic information.





HCS® GD A761/762

HCS® aluminium latch part:

- Door type: for glass or partition doors (inactive door leaves, door thicknesses 8-10 mm)


Article description			F1-2	F7016ST	F9005ST	F9010ST	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
HCS® latch part for glass doors	8		2574534	on request	786855	790487	1	10
	10		2574542	on request	787203	on request	1	10




HCS® GD A760/761

HCS® aluminium adapter with latch set:

- Door type: for glass and partition doors (side-hung, door thicknesses 8-10 mm)
- Note: only suitable for rebated door **HCS®**

Article description			F1-2	F9005ST			P.U.	O.C.
			Article no.	Article no.				
HCS® adapter for glass doors	8		2725726	1917347			5	20






HCS[®] GD A763


HCS[®] aluminium adapter:

- Door type: for glass doors with aluminium frames (side-hung, glass thickness 6-8 mm, frame thickness 26 mm)
- Note: only suitable for rebated door **HCS[®]**

Article description	DTH	F1-2					P.U.	O.C.
		Article no.						
HCS [®] adapter for glass doors	6-8 mm	2212816						20



Installation example




HCS[®] GD A764


HCS[®] aluminium adapter:

- Door type: for glass doors with aluminium frames (side-hung, glass thickness 6-8 mm, frame thickness 20 mm)
- Note: only suitable for rebated door **HCS[®]**

Article description	DTH	F1-2					P.U.	O.C.
		Article no.						
HCS [®] adapter for glass doors	6-8 mm	2212824						20



Installation example






HCS® decorative rings

HCS® aluminium decorative rings with thread:

- Door type: for flush doors (door thicknesses 35-43 mm) and rebated doors (door thicknesses 38-43 mm)
- Fixing: to be screwed on

Article description		Ø	F1-2	F9-2			P.U.	O.C.
			Article no.	Article no.				
Decorative rings, aluminium, pair	35-43	62 mm	2453046	2575027			10	60
	25-35	62 mm	2575051	2575078			10	60
	35-43	75 mm	2575094	2575115			10	60
	43-53	75 mm	2575123	2575140			10	60




HCS® decorative rings

HCS® stainless steel decorative rings with threaded nylon insert:

- Door type: for flush doors (door thicknesses 35-43 mm) and rebated doors (door thicknesses 38-43 mm)
- Fixing: to be screwed on

Article description		Ø	F68	F69			P.U.	O.C.
			Article no.	Article no.				
Decorative rings, stainless steel, pair	35-43	64 mm	783656	785711			10	60
	35-43	77 mm	828074	783458			10	60




HCS® decorative rings

HCS® brass decorative rings with threaded nylon insert:

- Door type: for flush doors (door thicknesses 35-43 mm) and rebated doors (door thicknesses 38-43 mm)
- Fixing: to be screwed on

Article description		Ø	F71	F41			P.U.	O.C.
			Article no.	Article no.				
Decorative rings, brass, pair	35-43	64 mm	650842	658688			10	60
	35-43	77 mm	658145	658701			10	60
	25-35	64 mm	658671	658695			10	60
	43-53	77 mm	1720886	2195606			10	60








HCS® decorative rings

HCS® nylon decorative rings with thread:

- Door type: for flush doors (door thicknesses 35-43 mm) and rebated doors (door thicknesses 38-43 mm)
- Fixing: to be screwed on

Article description		Ø	F7016M	F9005M	F9010M	F7022M	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Decorative rings, nylon, pair	25-35	62 mm	658060	658091	658121	2575254	10	60
	35-43	62 mm	658053	658084	658114	2575351	10	60
	35-43	75 mm	658077	658107	658138	2575385	10	60
	43-53	75 mm	1707462	1694104	2575422	2575457	10	60

Article description		Ø	F7032M	F7037M	P.U.	O.C.
			Article no.	Article no.		
Decorative rings, nylon, pair	25-35	62 mm	2575318	2575334	10	60
	35-43	62 mm	2575369	2575377	10	60
	35-43	75 mm	2575393	2575406	10	60
	43-53	75 mm	2575473	2575502	10	60




HCS® latch sets

HCS® aluminium latch set:

- Door type: for flush doors and rebated doors (rebate width 24 mm)
- Latch tube: aluminium with thread
- Latchbolt: glass fibre reinforced nylon, low-noise

Article description	Backset	F1	F4	P.U.	O.C.
		Article no.	Article no.		
HCS® latch set, aluminium	50	1750719	658282	10	60
	60	2478614	658299	10	60
	70	2285396	658305	10	60
	80	2491106	658312	10	60






HCS® latch sets

HCS® brass latch set:

- Door type: for flush doors and rebated doors (rebate width 24 mm)
- Latch tube: brass with thread
- Latchbolt: glass fibre reinforced nylon, low-noise

Article description	Backset		F71	F49			P.U.	O.C.
			Article no.	Article no.				
HCS® latch set, brass	50		658176	2619317			10	60
	60		658183	2099649			10	60
	70		658190	2619325			10	60




HCS® strike plates

HCS® stainless steel/brass strike plate:

- Door type: for door frames of flush doors
- Fixing: for multi-purpose screws

Article description	Dimensions	F69	F71			P.U.	O.C.
		Article no.	Article no.				
HCS® SB-A Strike plate for door frames of flush doors	39 x 70	658206	658220			10	60






HCS[®] strike plates

HCS[®] stainless steel/brass strike plate:

- Door type: for door frames of flush doors
- Fixing: for multi-purpose screws

Article description	Dimensions	F69	F71	P.U.	O.C.
		Article no.	Article no.		
HCS[®] SB-C Strike plate for door frames of flush doors	32 x 92	623082	621255	10	60




HCS[®] strike plates

HCS[®] stainless steel/brass strike plate:

- Door type: for door frames of flush doors
- Fixing: for multi-purpose screws

Article description	Dimensions	F69	F71	P.U.	O.C.
		Article no.	Article no.		
HCS[®] SB-D Strike plate for door frames of rebated doors	20 x 90	623075	621248	10	60




HCS[®] strike plates

HCS[®] stainless steel/brass strike plate:

- Door type: for door frames of flush doors
- Fixing: for multi-purpose screws

Article description	Dimensions	F69	F71	P.U.	O.C.
		Article no.	Article no.		
HCS[®] SB-E Strike plate for door frames of rebated doors	22 x 82	2574913	2574905	10	60






HCS® cylinder

HCS® clip-in keyed cylinder with reversible key:

- for **HCS®** models designed to incorporate a locking function
- Fixing: to be clipped in
- Note: only clip into assembled **HCS®** as cannot be disassembled again

Article description	Ø	Article no.	P.U.	O.C.
HCS® cylinder, piece	15	591732	10	60
HCS® cylinder, pair	15	766260	10	60
HCS® group keying, single	15	782796	10	60
HCS® group keying, double	15	780952	10	60
HCS® group keying, group key	15	781485	10	60



4



HCS® Clip-in components – aluminium

1) **HCS®** aluminium clip-in turn:

- for **HCS®** models designed to incorporate a non-keyed locking function
- Fixing: to be clipped in
- Note: only clip into assembled **HCS®** as cannot be disassembled again

2) **HCS®** large aluminium clip-in turn:


- for **HCS®** models designed to incorporate a non-keyed locking function
- Fixing: to be clipped in
- Note: only clip into assembled **HCS®** as cannot be disassembled again

3) **HCS®** aluminium clip-in emergency release:


- for **HCS®** models designed to incorporate a non-keyed locking function
- Fixing: to be clipped in
- Note: only clip into assembled **HCS®** as cannot be disassembled again



Article description	F1-2	F9-2	P.U.	O.C.
1) OL-15	2574921	2574964	10	60
2) OL-15-SEN	2574956	2574981	10	60
3) SK-15	2574948	2574972	10	60



OL-15



OL-15-SEN




SK-15



HCS® Clip-in components – brass

- 1) **HCS®** brass clip-in turn:
 - for **HCS®** models designed to incorporate a non-keyed locking function
 - Fixing: to be clipped in
 - Note: only clip into assembled **HCS®** as cannot be disassembled again
- 2) **HCS®** brass clip-in emergency release:
 - for **HCS®** models designed to incorporate a non-keyed locking function
 - Fixing: to be clipped in
 - Note: only clip into assembled **HCS®** as cannot be disassembled again


Article description				F41	F49	F71		P.U.	O.C.
				Article no.	Article no.	Article no.			
1) OL-15				658657	2215890	575121		10	60
2) SK-15				658664	2215902	575138		10	60




HCS® Clip-in components – nylon

- 1) **HCS®** nylon clip-in turn:
 - for **HCS®** models designed to incorporate a non-keyed locking function
 - Fixing: to be clipped in
 - Note: only clip into assembled **HCS®** as cannot be disassembled again
- 2) **HCS®** large nylon clip-in turn:
 - for **HCS®** models designed to incorporate a non-keyed locking function
 - Fixing: to be clipped in
 - Note: only clip into assembled **HCS®** as cannot be disassembled again
- 3) **HCS®** nylon clip-in emergency release with red-green-indicator:
 - for **HCS®** models designed to incorporate a non-keyed locking function
 - Fixing: to be clipped in
 - Note: only clip into assembled **HCS®** as cannot be disassembled again
- 4) **HCS®** nylon clip-in emergency release:
 - for **HCS®** models designed to incorporate a non-keyed locking function
 - Fixing: to be clipped in
 - Note: only clip into assembled **HCS®** as cannot be disassembled again

Article description				F7016M	F9005M	F9010M		P.U.	O.C.
				Article no.	AArticle no.	Article no.			
1) OL-15				2574833	572717	2574702		10	60
2) OL-15-SEN					822003	2574796		10	60
3) RGSK-15					658152	2574745		10	60
4) SK-15				2574841	572724	2574711		10	60





Overview programme for sliding doors



The duravert[®] product line


for the discerning



Sliding door sets

M462

page 242



Sliding door sets


M463

page 243



The duraplus[®] product line


more than usual



Sliding door sets

M471

page 246



Sliding door sets

M472

page 247






The duranorm® product line

consistently good value



Sliding door sets
4920
New
page 250



Sliding door sets
4921
New
page 252



Sliding door sets
4930
New
page 254



Programme for sliding doors








for the discerning **duravert**[®]




M462 – Set 7

HOPPE brass pocket door set 7 with emergency release/stowable turn:

- Connection: HOPPE telescopic spindle
- Base: nylon
- Fixing: concealed, recessed pulls with multi-purpose screws, finger pull for front of door with silicone or adhesive

Article description			Keyhole 	F41-R	F49-R	F49-R/F41-R	F52-R/F77-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 7	33 - 48	8		3207138	3207146	3207154	3207162	1	10



Finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®




M463 – Set 7


HOPPE brass pocket door set 7 with emergency release/stowable turn:

- Connection: HOPPE telescopic spindle
- Base: nylon
- Fixing: concealed, recessed pulls with multi-purpose screws, finger pull for front of door with silicone or adhesive

Article description	33-48	8	Keyhole	F41-R	F49-R	F49-R/F41-R	F52-R/F77-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 7				3207736	3207744	3207752	3207761	1	10



Finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Programme for sliding doors



more than usual **duraplus**[®]





M471 – Set 7

HOPPE brass pocket door set 7 with emergency release/stowable turn:

- Connection: HOPPE telescopic spindle
- Base: nylon
- Fixing: concealed, recessed pulls with multi-purpose screws, finger pull for front of door with silicone or adhesive

Article description			Keyhole	F41-R	F42-R	F49-R	F71	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 7				3206573	3947208	3206581	3206522	1	10
				33-48	8				
Set 7			Keyhole	F72	F73	F77-R	F98-R	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
				3206549	3206557	3206590	3206602	1	10

Article description			Keyhole	F54	F55	F56	F76	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 7				3947216	3947224	3947232	3947241	1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.






Resista®









M472 – Set 7

HOPPE brass pocket door set 7 with emergency release/stowable turn:

- Connection: HOPPE telescopic spindle
- Base: nylon
- Fixing: concealed, recessed pulls with multi-purpose screws, finger pull for front of door with silicone or adhesive

Article description			Keyhole	F41-R	F42-R	F49-R	F71	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 7				3207285	3947540	3207293	3207251	1	10
				3207269	3207277	3207306	3207314	1	10


Article description			Keyhole	F54	F55	F56	F76	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 7				3947558	3947566	3947574	3947582	1	10




The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

5

Resista®



Programme for sliding doors





5

consistently good value **duranorm**[®]



4920 – Set 1 **New**


HOPPE aluminium pocket door set 1 with emergency release/turn:

- Connection: HOPPE telescopic spindle
- Lock: hook bolt mortice lock, 50 mm backset; strike plate
- Fixing: concealed, recessed pulls by means of the HOPPE telescopic spindle; finger pull for front of door with silicone or adhesive

Article description			Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 1	38-48	8		3948059	3948067	3948032	3948041	1	10

Article description			Keyhole	F271*	P.U.	O.C.
				Article no.		
Set 1	38-48	8		3948024	1	10

* Suitable for interior applications only.



4920 – Set 2 **New**


HOPPE aluminium pocket door set 2 with emergency release/turn:

- Connection: HOPPE telescopic spindle
- Fixing: concealed, recessed pulls by means of the HOPPE telescopic spindle; finger pull for front of door with silicone or adhesive

Article description			Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 2	38-48	8		3947996	3948008	3947970	3947988	1	10

Article description			Keyhole	F271*	P.U.	O.C.
				Article no.		
Set 2	38-48	8		3947953	1	10

* Suitable for interior applications only.






4920 – Set 3 **New**

HOPPE aluminium pocket door set 3:


- Lock: hook bolt mortice lock, 50 mm backset; stowable key, strike plate
- Fixing: concealed, recessed pulls by means of the HOPPE telescopic spindle; finger pull for front of door with silicone or adhesive

Article description		Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Set 3	35-52		3947929	3947937	3947902	3947911	1	10

Article description		Keyhole	F271*	P.U.	O.C.
			Article no.		
Set 3	35-52		3947890	1	10



* Suitable for interior applications only.




4920 – Set 5 **New**

HOPPE aluminium pocket door set 5:


- Fixing: concealed, recessed pulls by means of the HOPPE telescopic spindle; finger pull for front of door with silicone or adhesive

Article description		Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Set 5	min. 35	without	3947865	3947873	3947849	3947857	1	10

Article description		Keyhole	F271*	P.U.	O.C.
			Article no.		
Set 5	min. 35	without	3947831	1	10



* Suitable for interior applications only.





4921 – Set 1 **New**


HOPPE aluminium pocket door set 1 with emergency release/turn:

- Connection: HOPPE telescopic spindle
- Lock: hook bolt mortice lock, 50 mm backset; strike plate
- Fixing: concealed, recessed pulls by means of the HOPPE telescopic spindle; finger pull for front of door with silicone or adhesive

Article description			Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 1	38-48	8		3948278	3948286	3948251	3948260	1	10

Article description			Keyhole	F271*	P.U.	O.C.
				Article no.		
Set 1	38-48	8		3948235	1	10

* Suitable for interior applications only.



4921 – Set 2 **New**


HOPPE aluminium pocket door set 2 with emergency release/turn:

- Connection: HOPPE telescopic spindle
- Fixing: concealed, recessed pulls by means of the HOPPE telescopic spindle; finger pull for front of door with silicone or adhesive

Article description			Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 2	38-48	8		3948219	3948227	3948198	3948201	1	10

Article description			Keyhole	F271*	P.U.	O.C.
				Article no.		
Set 2	38-48	8		3948180	1	10

* Suitable for interior applications only.





4921 – Set 3 **New**


HOPPE aluminium pocket door set 3:

- Lock: hook bolt mortice lock, 50 mm backset; stowable key, strike plate
- Fixing: concealed, recessed pulls by means of the HOPPE telescopic spindle; finger pull for front of door with silicone or adhesive

Article description		Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Set 3	35-52		3948155	3948163	3948139	3948147	1	10

Article description		Keyhole	F271*	P.U.	O.C.
			Article no.		
Set 3	35-52		3948121	1	10

* Suitable for interior applications only.



5



4921 – Set 5 **New**


HOPPE aluminium pocket door set 5:

- Fixing: concealed, recessed pulls by means of the HOPPE telescopic spindle; finger pull for front of door with silicone or adhesive

Article description		Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Set 5	min. 35	without	3948104	3948112	3948083	3948091	1	10

Article description		Keyhole	F271*	P.U.	O.C.
			Article no.		
Set 5	min. 35	without	3948075	1	10

* Suitable for interior applications only.



4930 (Aluminium)




4930 – Set 1 **New**

HOPPE aluminium pocket door set 1 with emergency release/turn:

- Connection: HOPPE telescopic spindle
- Lock: hook bolt mortice lock, 50 mm backset; strike plate
- Fixing: visible, recessed pulls by means of the HOPPE telescopic spindle with multi-purpose screws; finger pull for front of door with silicone or adhesive

Article description			Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 1	38-48	8		3948526	3948534	3948497	3948500	1	10

Article description			Keyhole	F271*	P.U.	O.C.
				Article no.		
Set 1	38-48	8		3948489	1	10



* Suitable for interior applications only.




4930 – Set 2 **New**

HOPPE aluminium pocket door set 2 with emergency release/turn:

- Connection: HOPPE telescopic spindle
- Fixing: visible, recessed pulls by means of the HOPPE telescopic spindle with multi-purpose screws; finger pull for front of door with silicone or adhesive

Article description			Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
				Article no.	Article no.	Article no.	Article no.		
Set 2	38-48	8		3948454	3948462	3948438	3948446	1	10

Article description			Keyhole	F271*	P.U.	O.C.
				Article no.		
Set 2	38-48	8		3948420	1	10



* Suitable for interior applications only.



4930 – Set 3 **New**


HOPPE aluminium pocket door set 3:

- Lock: hook bolt mortice lock, 50 mm backset; stowable key, strike plate
- Fixing: visible, recessed pulls by means of the HOPPE telescopic spindle with multi-purpose screws; finger pull for front of door with silicone or adhesive

Article description		Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Set 3	35-52		3948403	3948411	3948382	3948391	1	10

Article description		Keyhole	F271*	P.U.	O.C.
			Article no.		
Set 3	35-52		3948374	1	10

* Suitable for interior applications only.



5



4930 – Set 5 **New**


HOPPE aluminium pocket door set 5:

- Fixing: visible, recessed pulls by means of the HOPPE telescopic spindle with multi-purpose screws; finger pull for front of door with silicone or adhesive

Article description		Keyhole	F1	F4	F94-1	F249	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Set 5	min. 35	without	3948331	3948340	3948315	3948323	1	10

Article description		Keyhole	F271*	P.U.	O.C.
			Article no.		
Set 5	min. 35	without	3948307	1	10

* Suitable for interior applications only.



Pull handles



Handle of excellence.




6




The duravert® product line

for the discerning



Athinai
M516
page 262




Monte Carlo
M550LG
page 265





The duraplus® product line

more than usual



Cannes
M545
page 268



Dallas
M543
page 269



Vitória
M515
page 269



**Pull handles
which cover all
series**
page 270



Pull handles





6

for the discerning **duravert®**




M516


HOPPE brass bow-shaped pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Distance	F49/F69	F77-R	F77-R/F52-R	P.U.	O.C.
		Article no	Article no	Article no		
Pull handle, piece	250	1894384	1894499	3043858	1	5




Included fixing systems:



Fixing systems for pull handles see on pages 294-296.

Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solutions:

Interior door handle.....22
HCS®-door handle.....210




M516/19

HOPPE brass bow-shaped pull handle with roses:

- Fixing: concealed, multi-purpose screws

Article description	Distance	F49/F69	F77-R	F77-R/F52-R	P.U.	O.C.
		Article no	Article no	Article no		
Pull handle, piece	250	2829912	1791908	3054696	1	5




Included fixing systems for wooden doors:



Further solutions:
Interior door handle.....22
HCS®-door handle.....210

Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®




M517


HOPPE brass straight pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Distance	F49/F69	F77-R	F77-R/F52-R	P.U.	O.C.
		Article no.	Article no.	Article no.		
Pull handle, piece	250	1894675	1894712	3054717	1	5




Included fixing systems:



Fixing systems for pull handles see on pages 294-296.

Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solutions:
Interior door handle.....22
HCS®-door handle.....210




M517/19

HOPPE brass straight pull handle with roses:

- Fixing: concealed, multi-purpose screws

Article description	Distance	F49/F69	F77-R	F77-R/F52-R	P.U.	O.C.
		Article no.	Article no.	Article no.		
Pull handle, piece	250	2829921	1791916	3054709	1	5




Included fixing systems for wooden doors:



Further solutions:
Interior door handle.....22
HCS®-door handle.....210

Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®




M5170/19

HOPPE brass straight pull handle with roses:

- Fixing: concealed, multi-purpose screws

Article description	Distance	F41-R	F77-R	P.U.	O.C.
		Article no.	Article no.		
Pull handle, piece	190	2493451	3126207	1	5



Included fixing systems for wooden doors:



Two-tone finishes:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solutions:
 Interior door handle.....22
 HCS®-door handle.....210




M550LG


HOPPE brass bow-shaped pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Distance	F46-R	F65-R	F74-R	F75-R	P.U.	O.C.
		Article no	Article no	Article no	Article no		
Pull handle, piece	250	2301886	2301894	2301907	2301915	1	5





Included fixing systems:



Fixing systems for pull handles see on pages 294-296.

Two-tone finishes:



polished front surface

satin finishes

With the F75-R finish, the rose and upper and lower surfaces of the handle are polished and the front surface is satin.

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solution:
Interior door handle.....56

Pull handles





6

more than usual **duraplus®**




M545LG/23

HOPPE brass bow-shaped pull handle with roses:

- Fixing: concealed, multi-purpose screws

Article description	Pull handle Ø	Distance	F41-R	F49-R	F71	F72	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Pull handle, piece	dependent on form	220	2664134	2664142	2664118	2664126	1	5

Article description	Pull handle Ø	Distance	F73	F77-R			P.U.	O.C.
			Article no.	Article no.				
Pull handle, piece	dependent on form	220	2667116	2664151			1	5



**Included fixing systems
for wooden doors:**



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solution:
Interior door handles.....80




M545LG

HOPPE brass bow-shaped pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F41-R	F49-R	F71	F72	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Pull handle, piece	dependent on form	220	2664089	2664097	2664062	2664071	1	5

Article description	Pull handle Ø	Distance	F73	F77-R			P.U.	O.C.
			Article no.	Article no.				
Pull handle, piece	dependent on form	220	2667108	2664100			1	5



Included fixing systems:



BS-1101



BS-1102

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Further solution:
Interior door handles.....80

Fixing systems for pull handles
see on pages 294-296.




M543

HOPPE brass straight pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Distance	F41-R	F49-R	F71	F77-R	P.U.	O.C.
		Article no.	Article no.	Article no.	Article no.		
Pull handle, piece	250	3391191	3391203	3391174	3391211	1	5



Included fixing systems:



BS-1101



BS-1102

The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Further solution:
Interior door handle.....89

Fixing systems for pull handles
see on pages 294-296.




M515LG/23

HOPPE brass bow-shaped pull handle with roses:

- Fixing: concealed, multi-purpose screws

Article description	Pull handle Ø	Distance	F41-R	F49-R	F71	F72	P.U.	O.C.
			Article no.	Article no.	Article no.	Article no.		
Pull handle, piece	dependent on form	210	2844830	2844821	2844784	2844805	1	5

Article description	Pull handle Ø	Distance	F73	F77-R			P.U.	O.C.
			Article no.	Article no.				
Pull handle, piece	dependent on form	210	2844813	2844848			1	5



Included fixing systems for wooden doors:



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.



Further solution:
Interior door handles..... 151

Pull handles (Aluminium)




5010

HOPPE aluminium straight pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F1-2			P.U.	O.C.
			Article no.				
Pull handle, piece	30	300	609253			1	5
		350	655908			1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles
see on pages 294-296.




5004

HOPPE aluminium bar-shaped pull handle:

- Supports: cranked
- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Length/ Distance	F1-2	F9-2		P.U.	O.C.
			Article no.	Article no.			
Pull handle, piece	25	330/210	2345942	2345951		1	5



Included fixing systems:



BS-1101



BS-1102

Fixing systems for pull handles
see on pages 294-296.




5004DR with design-rings


HOPPE aluminium bar-shaped pull handle with design elements:

- Design elements: 2 grooves on each end of the handle bar
- Supports: cranked
- Fixing: concealed, pull handle fixing system no. 11

Beschreibung	Pull handle Ø	Length/ Distance	F1-2	F9-2			P.U.	O.C.
			Article no.	Article no.				
Pull handle, piece	25	330/210	2346179	2346195			1	5



Included fixing systems:



Fixing systems for pull handles
see on pages 294-296.




5040

HOPPE aluminium straight pull handle (interior):

- Fixing: for pull handle fixing system S-1 M8 (in pairs) or S-2 M8 (on one side)

Article description	Pull handle Ø	Distance	F1	F9			P.U.	O.C.
			Article no.	Article no.				
Pull handle, piece (interior)	20	220	605477	605484			1	5
Pull handle, piece (exterior)			678013	693900			1	5



Fixing systems for pull handles
see on pages 294-296.

Pull handles (Aluminium)




5210

HOPPE aluminium triangular pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F1-2			P.U.	O.C.
			Article no.				
Pull handle, piece	30	300	655946			1	5
		350	606269			1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles
see on pages 294-296.




5310

HOPPE aluminium semi-circular pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F1-2			P.U.	O.C.
			Article no.				
Pull handle, piece	30	300	807215			1	5
		350	655953			1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles
see on pages 294-296.




5710

HOPPE aluminium straight pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F1-2	F9-2			P.U.	O.C.
			Article no.	Article no.				
Pull handle, piece	dependent on form	300	2550882	2550891			1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles see on pages 294-296.




E5000 – E5010

HOPPE stainless steel straight pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F69	F77-R			P.U.	O.C.
			Article no.	Article no.				
Pull handle E5000, piece	25	300	553648	832965			1	5
		350	602551	1693048			1	5
Pull handle E5010, piece	30	300	556144				1	5
		350	602599				1	5



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Included fixing systems:



BS-1102

Fixing systems for pull handles see on pages 294-296.

Pull handles (Stainless steel)




E5011

HOPPE stainless steel bar-shaped pull handle:

- Supports: round, straight
- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Length/ Distance	F69			P.U.	O.C.
			Article no.				
Pull handle, piece	30	400/300	6520605			1	5
		500/300	2010595			1	5
		600/400	2010624			1	5
		800/560	2010632			1	5
		1000/700	2010659			1	5
		1200/900	2010974			1	5
		1400/1000	2010982			1	5
		1600/1200	2011029			1	5
		1800/1300	2011037			1	5



Special lengths on request. Surcharge for special lengths per started 100 mm. **When ordering pull handles of special lengths please indicate exact lengths of handle required and the distance! (necessary for the positioning of the supports).**


Also available with several supports.

Included fixing systems:



BS-1102

Fixing systems for pull handles see on pages 294-296.




E5012

HOPPE stainless steel bar-shaped pull handle:

- Supports: round, inclined at an angle of 45°
- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Length/ Distance	F69				P.U.	O.C.
			Article no.					
Pull handle, piece	30	400/300	8124414				1	5
		500/300	2011053				1	5
		600/400	2011061				1	5
		800/560	2011555				1	5
		1000/700	2011571				1	5
		1200/900	2011598				1	5
		1400/1000	2011643				1	5
		1600/1200	2011678				1	5
		1800/1300	2011707				1	5



Special lengths on request. Surcharge for special lengths per started 100 mm. **When ordering pull handles of special lengths please indicate exact lengths of handle required and the distance! (necessary for the positioning of the supports).**

Also available with several supports.

Included fixing systems:



BS-1102

Fixing systems for pull handles see on pages 294-296.


Pull handles (Stainless steel)

E5014

HOPPE stainless steel bar-shaped pull handle:

- Supports: cranked, aluminium
- Fixing: concealed, pull handle fixing system no. 11


Article description	Pull handle Ø	Length/ Distance	F69/F1			P.U.	O.C.
			Article no.				
Pull handle, piece	30	400/250	2206301			1	5
		500/300	2206344			1	5
		600/400	2206387			1	5



Special lengths on request. Surcharge for special lengths per started 100 mm. **When ordering pull handles of special lengths please indicate exact lengths of handle required and the distance! (necessary for the positioning of the supports).**

Also available with several supports.

Included fixing systems:




Fixing systems for pull handles see on pages 294-296.

E5015

HOPPE stainless steel straight pull handle, mitred corners:

- Fixing: concealed, pull handle fixing system no. 11


Article description	Pull handle Ø	Distance	F69			P.U.	O.C.
			Article no.				
Pull handle, piece	30	300	2206766			1	5
		350	2206782			1	5



Special lengths on request. Surcharge for special lengths per started 100 mm. **When ordering pull handles of special lengths please indicate exact lengths of handle required and the distance! (necessary for the positioning of the supports).**

Also available with several supports.

Included fixing systems:



Fixing systems for pull handles see on pages 294-296.




E5100 – E5110


HOPPE cranked stainless steel pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Beschreibung	Pull handle Ø	Distance	F69				P.U.	O.C.
			Article no.					
Pull handle, E5100, piece	25	300	602575				1	5
		350	556090				1	5
Pull handle, E5110, piece	30	300	602605				1	5
		350	610563				1	5



E5100



E5110

Included fixing systems:



BS-1102

Fixing systems for pull handles
see on pages 294-296.




E5210

HOPPE stainless steel triangular pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F69				P.U.	O.C.
			Article no.					
Pull handle, piece	30	300	556106				1	5
		350	595297				1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles
see on pages 294-296.

Pull handles (Stainless steel)




E5215

HOPPE stainless steel triangular pull handle, mitred corners:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F69				P.U.	O.C.
			Article no.					
Pull handle, piece	30	300	2206811				1	5
		350	2206838				1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles
see on pages 294-296.




E5310

HOPPE stainless steel semi-circular pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F69				P.U.	O.C.
			Article no.					
Pull handle, piece	30	300	6804538				1	5
		350	598212				1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles
see on pages 294-296.




E5311

HOPPE stainless steel semi-circular pull handle:

- Supports: round, straight
- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F69				P.U.	O.C.
			Article no.					
Pull handle, piece	30	300	588282				1	5
		350	610617				1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles
see on pages 294-296.




E5511

HOPPE stainless steel bow-shaped pull handle:

- Supports: round, straight
- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Length/ Distance	F69				P.U.	O.C.
			Article no.					
Pull handle, piece	30	800/695	2611059				1	5
		1200/1000	2694851				1	5
		1600/1400	2694860	3rd support included			1	5
		2000/1800	2694878	3rd support included			1	5



Included fixing systems:



BS-1102

Fixing systems for pull handles
see on pages 294-296.

Pull handles (Stainless steel)




E5600

HOPPE stainless steel bow-shaped pull handle:

- Fixing: concealed, for one-side fixing with 2 M8 screws (order separately) on aluminium and PVC doors

Article description	Length/ Distance	F69	P.U.	O.C.
		Article no.		
Pull handle, piece	390/350	2206862	1	5

Can be used for concealed fixing with two screws M8 (not included) on aluminium and nylon doors.




E5606

HOPPE stainless steel bow-shaped pull handle:

- Supports: angular, straight
- Fixing: concealed, pull handle fixing system no. 11

Article description	Length/ Distance	F69	P.U.	O.C.
		Article no.		
Pull handle, piece	408/250	2206871	1	5
	500/350	2420375	1	5
	697/500	2292473	1	5



Included fixing systems:



BS-1101



BS-1102

Fixing systems for pull handles
see on pages 294-296.




M553

HOPPE brass curved, triangular pull handle:

- Fixing: concealed, pull handle fixing system no. 11

Article description	Pull handle Ø	Distance	F41-R	F73	F77-R	P.U.	O.C.
			Article no.	Article no.	Article no.		
Pull handle, piece	dependent on form	250	1885015	1843860	1886288	1	5



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®

Included fixing systems:




BS-1101




BS-1102

Fixing systems for pull handles
see on pages 294-296.





Products around door and window




Coat hooks

page 286




Door stops

page 287



Information signs

page 288



Escutcheons

page 290





7

Coat hooks (Stainless steel, brass)




E695

HOPPE stainless steel coat hook:

- Fixing: for M8 thread screw

Article description	F69				P.U.	O.C.
	Article no.					
Coat hook, piece				820429	5	30




M695

HOPPE brass coat hook:

- Fixing: for M8 thread screw

Article description	F71/F72				P.U.	O.C.
	Article no.					
Coat hook, piece				820412	5	30




M696

HOPPE brass coat hook:

- Fixing: for M8 thread screw

Article description	F49/F41		F71		P.U.	O.C.
	Article no.		Article no.			
Hat and coat hook, piece			820504	820511	5	30






E484

HOPPE stainless steel floor fix door stop:

- With one-sided rubber buffer
- Fixing: visible, multi-purpose screw and dowel, cover cap for screw head

Article description	F69				P.U.	O.C.
	Article no.					
Door stop, with screw and dowel, piece				604531	5	25



E487

HOPPE stainless steel wall fix door stop:

- With attached rubber buffer
- Fixing: concealed, multi-purpose screw and plastic dowel

Article description	F69				P.U.	O.C.
	Article no.					
Door stop, with screw and dowel, piece				606511	5	30




E497

HOPPE stainless steel floor fix door stop:

- With attached rubber buffer
- Fixing: concealed, multi-purpose screw and plastic dowel

Article description	F69				P.U.	O.C.
	Article no.					
Door stop, with screw and dowel, piece				820221	5	30



Door stops (Brass), information signs (Stainless steel)




M497

HOPPE brass floor fix door stop:

- With attached rubber buffer
- Fixing: concealed, multi-purpose screw and plastic dowel

Article description				F71	F77-R			P.U.	O.C.
				Article no.	Article no.				
Door stop, with screw and dowel, piece				820238	3057011			5	30



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®




E663

HOPPE stainless steel information sign:

- with lettering
- Fixing: visible, multi-purpose screws



Article description				F69				P.U.	O.C.
				Article no.					
Information sign: E663 (PUSH), piece				605200				5	30
Information sign: E663 (PULL), piece				605217				5	30



E663 (PUSH)

E663 (PULL)




E664

HOPPE stainless steel information sign:

- with pictogram
- Fixing: visible, multi-purpose screws

Article description	F69				P.U.	O.C.
	Article no.					
Information sign: E664 (Disabled), piece				605248	5	30
Information sign: E664 (Female), piece				605224	5	30
Information sign: E664 (Male), piece				605231	5	30



E664 (Disabled)

E664 (Female)

E664 (Male)




E665

HOPPE stainless steel information sign:

- with pictogram
- Fixing: visible, multi-purpose screws

Article description	F69				P.U.	O.C.
	Article no.					
Information sign: E665 (Disabled), piece				605279	5	30
Information sign: E665 (Female), piece				605255	5	30
Information sign: E665 (Male), piece				605262	5	30



E665 (Disabled)

E665 (Female)

E665 (Male)




OL92/42KS (for door safety catch)

HOPPE aluminium turn on rose for door safety catches on entrance doors (interior):

- Bearing: fixed/movable turn
- Connection: HOPPE solid spindle (spindle component)
- Base: nylon
- Fixing: concealed, for multi-purpose screws

Article description	8	Length	F4	P.U.	O.C.
			Article no.		
Turn button on rose, piece	8	50	812745	5	30
	8	60	812752	5	30
	8	70	812769	5	30
	8	75	812783	5	30




MOL91/42KS (for door safety catch)


HOPPE brass turn on rose for door safety catches on entrance doors (interior):

- Bearing: fixed/movable turn
- Connection: HOPPE solid spindle (spindle component)
- Base: nylon
- Fixing: concealed, multi-purpose screws

Article description	8	Length	F41	F49	F71	P.U.	O.C.
			Article no.	Article no.	Article no.		
Turn button on rose, piece	8	75	1652641	698554	530021	5	30








Fixing accessoires



Fixing systems for pull handles
page 294



Spindles
page 296




Fixing set for knobs
page 299




Drilling jig
page 299



Spring cassettes
page 299




Fixing systems for pull handles




Fixing system for aluminium pull handle 5040, Ø 20 only – Type 1

HOPPE-Bügelgriff-Befestigungs-System S-1 M8:

- für paarweise Befestigung der Bügelgriffe 5040 an Aluminium-, Holz- und Kunststofftüren

Article description		Pull handle	Article no.				P.U.	O.C.
Fixing set no. S1, pair	40-50	M8 (Ø 20)	592494				1	10



Fixing system for aluminium pull handle 5040, Ø 20 only – Type 2

HOPPE pull handle fixing system S-2 M8:

- For one-side fixing of 5040-type pull handles with roses to aluminium, wood and PVC doors


Article description		Pull handle	F1	F9			P.U.	O.C.
			Article no.	Article no.				
Fixing set no. S2 with rose, pair		M8 (Ø 20)	605422	605439			1	10




Fixing system no. 5 for pull handles


HOPPE pull handle fixing system no. 5:

- For back-to-back fixing to aluminium, wood and PVC doors

Article description			Ø 25, 30				P.U.	O.C.
			Article no.					
BS-501/B, piece	37-47		600168				1	10
BS-502/B, piece	47-57		763870				1	10
BS-503/B, piece	57-67		646753				1	10
BS-504/B, piece	67-77		649808				1	10



aluminium profile



wood profile

Attention:


1 fixing system (piece) per fixing point
= 2 fixing systems per pull handle.



Fixing system no. 7 for pull handles

HOPPE pull handle fixing system no. 7:
• For back-to-back fixing to glass doors

Article description		8-12	Ø 25, 30				P.U.	O.C.
			Article no.					
BS-701/B, piece			573585				1	10




glass door


Attention:
1 fixing system (piece) per fixing point
= 2 fixing systems per pull handle.

Fixing system no. 8 for pull handles

HOPPE pull handle fixing system no. 8:
• For one-side fixing with blind rose to aluminium, wood and PVC doors



Article description		Covercap Ø	F69				P.U.	O.C.
			Article no.					
BS-810/B, piece	37-47	25	6808521				1	10
BS-811/B, piece	47-57	25	829316				1	10
BS-812/B, piece	57-67	25	820641				1	10
BS-813/B, piece	67-77	25	6808562				1	10



profile


Attention:
1 fixing system (piece) per fixing point
= 2 fixing systems per pull handle.



Fixing system no. 10 for pull handles

HOPPE pull handle fixing system no. 10:
• For one-side fixing to walls




Article description	Ø 25, 30					P.U.	O.C.
		Article no.					
BS-1001/B, piece		763009				1	10



wall

Attention:
1 fixing system (piece) per fixing point
= 2 fixing systems per pull handle.

Fixing systems for pull handles, spindles




Fixing system no. 11 for pull handles


HOPPE pull handle fixing system no. 11:

- For one-side fixing to aluminium, wood and PVC doors in the mortice area (please observe deviating pre-chamber [V] dimensions for PVC profiles)


Article description	threaded length	V-measure Nylon profiles	Article no.				P.U.	O.C.
BS-1101/short, piece	20	11-16	1841717				1	10
BS-1102/long, piece	46	-	1841733				1	10
BS-1103/middle, piece	25	21-26	2149116				1	10




aluminium profile



wood profile



PVC profile




Pural profile



Solid spindle


HOPPE iron solid spindle:

Article description		Length	zinc-plated Article no.				P.U.	O.C.
Solid spindle, piece	7	60	519071				10	10
		70	519095				10	500
		80	519118				10	10
	8	110	519163				10	10
		120	519170				10	10
		130	519187				10	10



Profile spindle

HOPPE iron profile spindle:


Article description		Length	zinc-plated Article no.				P.U.	O.C.
Profile spindle, piece	8	100	517572				10	10
		110	517596				10	10
		120	517565				10	10
		130	672578				10	10
		140	517589				10	10
		150	693078				10	10
		160	519200				10	10



Expanding spindle

HOPPE iron expanding efha-spindle:

- With efha slot
- For entrance doors drilled on one side
- For aluminium, stainless steel, nylon and brass half sets
- Suitable also for **HOPPE Quick-Fit connection**


Article description		Length	zinc-plated Article no.				P.U.	O.C.
Expanding spindle, piece	8	45	1683894				10	10
		55	518524				10	10
		65	518531				10	10
		75	518555				10	10
		85	771967				10	10
		95	3532192				10	10



FDW-Profile spindle

HOPPE iron profile FDW-spindle:

- Exclusively for knobs (pads) on backplates and knob (pad)/handle sets with knob


Article description	Thread		Length	zinc-plated			P.U.	O.C.
				Article no.				
FDW-Profile spindle with thread, piece	M12	8	100	823246			10	10
			120	823277			10	10
			140	820849			10	10




F/Ei-Profile spindle

HOPPE iron profile FEI-spindle:

- For lock follower depths of between 12-16 mm
- For entrance doors drilled on one side
- For half sets in aluminium (8 mm spindle variant only), stainless steel, nylon and brass

Article description			Length	zinc-plated			P.U.	O.C.
				Article no.				
F/Ei-Profile spindle, for doors drilled from one side only, piece		8	70	515073			10	10
			90	515066			10	10


Installation of F/Ei-Profile spindle



i-Solid profile spindle

HOPPE iron solid profile I-spindle:

- For entrance doors drilled on both sides, to which security hardware with push pad is fitted
- With hardened flat spring to compensate for tolerances in the lock follower


Article description			Length	zinc-plated			P.U.	O.C.
				Article no.				
i-Solid profile spindle, for doors drilled through, piece		8	90	8053597			10	10
			110	6961239			10	10



Fixing set for knobs

HOPPE iron fixing set:

- For one-side fixing of knobs (pads) on rose

Article description	Ø		Length	zinc-plated				P.U.	O.C.
				Article no.					
Fixing set for knobs	50	8	34	2839993				10	10



Quick-Fit

Drilling jig

HOPPE drilling jig

- For door preparation to fit the Z-RFL18 spring cassette for E29N and E29NR, E847N and E847, E848N and E848, E849N and E849 handle roses

Article description				Article no.				P.U.	O.C.
				3759581					
Drilling jig				3759581				10	100

Detailed information on HOPPE Quick-FitPlus can be found in our manual: HOPPE – Handle of excellence. Basic information manual.



Quick-Fit

Spring cassette

HOPPE Z-RFL18 spring cassette:

- Non-handed
- For E29N and E29NR, E847N and E847, E848N and E848, E849N and E849 handle roses

Article description				Article no.				P.U.	O.C.
				3825024					
Spring cassette				3825024				10	50

Detailed information on HOPPE Quick-FitPlus can be found in our manual: HOPPE – Handle of excellence. Basic information manual.

Spring cassette



Spring cassette

HOPPE Z-RFL08 spring cassette pair:


- Non-handed spring cassette
- For M21, M25K(V), (E/M)30P, 831, M844P handle roses

Article description				Article no.				P.U.	O.C.
FDW-Profile spindle with thread, piece		8		2839977				10	50





Presentation systems



Wall display

page 304




Sample columns

page 304




Architectural hardware column displays

page 305




Counter display

page 306



Sample boards

page 306




Sample blocks

page 308



Presentation cases

page 309



Sample boards with special dimensions

page 310



Wall display and sample columns



Wall display

HOPPE wall display:

- Frame: 1 metal element to hold sample boards
- Sample boards: Walnut finish, complete with samples, lock mechanism in the case of handle sets
- Information elements: at the top

Description	sample boards (1 x 8)	Dimensions (B x H) 28 x 120 cm	Article nr.				P.U. 1	O.C.
			2723712					
Wall display, piece	8 (1 x 8)	28 x 120 cm	2723712				1	



Triangular column display

HOPPE triangular column display:

- base plate with three-face plinth
- Frame: 3 metal elements to hold sample boards
- Sample boards: walnut finish, complete with samples, lock mechanism in the case of handle sets
- Information displays: at the top
- Dispenser: for DIN-long leaflets

Description	sample boards (3 x 8)	Dimensions (B x H) 64 x 198 cm	Article nr.				P.U. 1	O.C.
			2653435					
Triangular column display	24 (3 x 8)	64 x 198 cm	2653435				1	



Star-shaped column

HOPPE star-shaped column display:

- Base plate with star-shaped plinth
- Frame: 3 metal elements to hold sample boards on both sides
- Sample boards: Walnut finish, complete with samples, lock mechanism in the case of handle sets
- Information elements: at the top
- Dispenser: for DIN-long leaflets

Description	sample boards (6 x 8)	Dimensions (B x H) 64 x 198 cm	Article nr.				P.U. 1	O.C.
			2653443					
Star-shaped column, piece	48 (6 x 8)	64 x 198 cm	2653443				1	





Hexagon column display

HOPPE hexagon column display:

- Base plate with six-face plinth
- Frame: 6 metal elements to hold sample boards
- Sample boards: Walnut finish, complete with samples, lock mechanism in the case of handle sets
- Information elements: at the top
- Dispenser: for DIN-long brochures

Description	sample boards	Dimensions (B x H)					P.U.	O.C.
			Article nr.					
Hexagon column display, piece	48 (6 x 8)	71 x 198 cm	2653451				1	



Architectural hardware column display

HOPPE architectural hardware column display:

- Shelf: walnut finish, 6 equally-sized compartments for packages
- Sample boards: 5 units in walnut finish, complete with samples, lock mechanism in the case of handle sets
- Without product assortment

Description	sample boards	Dimensions (B x H)					P.U.	O.C.
			Article nr.					
Architectural hardware column display, piece	5	61 x 24 x 161 cm	3525785				1	



Architectural hardware column display

HOPPE architectural hardware column display:

- Base plate with inclined shelf column, 4 compartments of various sizes
- Sample board: walnut finish, complete with samples, lock mechanism in the case of handle sets
- Without product assortment

Description		Dimensions (B x H)					P.U.	O.C.
			Article nr.					
Architectural hardware column display, piece		40 x 175 cm	2160981				1	

Counter display, sample boards



Counter display

HOPPE counter display:

- Frame: plastic, to hold sample boards
- Sample boards: Walnut finish, complete with samples, lock mechanism in the case of handle sets
- Information element: in foot part, inclined

Description	sample boards	Dimensions (B x H)	Article nr.				P.U.	O.C.
Theken-Präsentation, Stück	3	29,5 x 46,5 cm	2723747				1	
	6	29,5 x 46,5 cm	3772751				1	



M1-M6 sample boards

HOPPE sample board:

- Sample board: walnut finish, complete with samples, lock mechanism in the case of handle sets, bevelled edges at the top and the bottom
- Labelling: series name on the top inclined surface on the front, model description on the rear
- Attachment: unique system with plastic lugs for simple and fast attachment to or removal from the frames on the presentation systems

Description	sample boards	Dimensions (B x H)	walnut wood				P.U.	O.C.
			Article nr.					
Sample board M1, piece	1	24 x 8,5 cm	2723801				1	
Sample board M2, piece	2	24 x 18,5 cm	2723798				1	
Sample board M3, piece	3	24 x 28,5 cm	2723780				1	
Sample board M4, piece	4	24 x 38,5 cm	2723771				1	
Sample board M5, piece	5	24 x 48,5 cm	2723763				1	
Sample board M6, piece	6	24 x 58,5 cm	2723755				1	



Sample board

HOPPE sample board:

- Rectangular, inclined sample board with foot, walnut finish, complete with sample, lock mechanism in the case of handle sets

Description	sample boards	Dimensions (B x H)	Article nr.				P.U.	O.C.
Sample board, piece		19 x 28 cm	2079074				1	



Window handle sample board

HOPPE window handle sample board:

- Made of wood with support and carrier handle, 10 window handles

Description	Dimensions (B x H)					P.U.	O.C.
		Article nr.					
Window handle sample board, piece	83 x 48 cm	1775650				1	



Sample board

HOPPE PLEXIGLAS® sample board:

- With samples, lock mechanism in the case of handle sets

Description	Dimensions (B x H)					P.U.	O.C.
		Article nr.					
Sample board, piece	28 x 19 cm	2119241				1	



Sample board

HOPPE sample board for hardware for commercial applications:

- Rectangular sample board with support, walnut finish, lock mechanism for handle sets
- Sample assortment to request

Description	Dimensions (B x H)					P.U.	O.C.
		Article nr.					
Sample board for hardware for commercial applications	29 x 42 cm	1775668				1	



M8 HCS® sample board

HCS® sample board:

- Rectangular board, walnut finish, with 4 samples of HCS® hardware and 1 HCS® assembly example

Description	Dimensions (B x H)					P.U.	O.C.
		Article nr.					
M8 HCS® sample board, piece	24 x 74 cm	2794481				1	

Sample board and sample blocks



Window handle sample with adjustable spindle

HOPPE **Secustik**® sample with adjustable spindle:

- Foot with PLEXIGLAS® section, **Secustik**® window handle with adjustable spindle

Description	Dimensions (B x H)	Article nr.				P.U.	O.C.
Secustik® sample with adjustable spindle, piece	21 x 32 cm	3775899				1	



Secustik® sample

HOPPE **Secustik**® sample:

- Foot with wooden window profile, **Secustik**® window handle, mechanism to show **Secustik**® technology

Description	Dimensions (B x H)	Article nr.				P.U.	O.C.
Secustik® sample block, piece	8 x 31 cm	1775879				1	



Secustik® sample

HOPPE **Secustik**® sample:

- Foot with PVC window profile, **Secustik**® window handle, mechanism to show **Secustik**® technology

Description	Dimensions (B x H)	Article nr.				P.U.	O.C.
Secustik® sample block, piece	8 x 31 cm	1775844				1	



HCS® sample block

HCS® sample block:

- Foot with rectangular stained walnut door section, with **HCS**® hardware, assembly/disassembly key

Description	Dimensions (B x H)	Article nr.				P.U.	O.C.
HCS® sample block, piece	21 x 20 cm	564187				1	



HCS® sample block for glass doors

HCS®-GD sample block:

- Foot with rectangular PLEXIGLAS® section, with HCS® hardware for glass doors

Description	Dimensions (B x H)					P.U.	O.C.
		Article nr.					
HCS® sample block, piece	21 x 20 cm	777402				1	



Sample block – sliding door set

HOPPE pocket door set sample block:

- Foot with rectangular stained walnut door section, pocket door set and lock

Description	Dimensions (B x H)	walnut wood				P.U.	O.C.
		Article nr.					
Sample block, piece	21 x 32 cm	646098				1	



Sample block

HOPPE sample block:

- Foot with door section in semi-hexagon shape, stained walnut door section, handle set and lock

Description	Dimensions (B x H)					P.U.	O.C.
		Article nr.					
Sample block, Stück	21 x 32 cm	1775810				1	



Window handle sample case

HOPPE window handle sample case:

- Case: metal/plastic, foamed inlays to hold samples
- Samples: 3 wood profiles, 1 wooden foot for the profiles, 10 window handles, various cover caps for window handle rosettes

Description	Dimensions (B x D x H)					P.U.	O.C.
		Article nr.					
Window handle sample case, piece	44,5 x 34 x 15,5 cm	2530321				1	

Presentation cases and sample boards



HOPPE Quick-FitPlus sample case

HOPPE Quick-FitPlus sample case:

- Case: metal/plastic, foam inlays to hold sample boards
- Samples: wooden sample blocks with locks, various door handles with fixed HOPPE solid spindle and receiver components with **HOPPE Quick-Fit connection** technology; round, square and rectangular handle roses (self-adhesive or with supporting lugs) and escutcheons (self-adhesive); assembly/disassembly material, cleaning/anti-grease tissues

Description	Dimensions (B x D x H)					P.U.	O.C.
		Article nr.					
HOPPE Quick-FitPlus sample case, piece	52 x 43 x 21 cm	3420140				1	



Sample case

HOPPE sample case:

- Case: plastic, foamed inlays to hold the sample boards
- Sample boards: walnut finish, complete with samples and lock mechanism in the case of handle sets

Description	sample boards	Dimensions (B x H)					P.U.	O.C.
			Article nr.					
Sample case, piece	6	43,5 x 53,5 cm	2760249				1	



Sample boards with special dimensions

Sample boards with special dimensions:

- Customized dimensions

Description	Dimensions (B x H)					P.U.	O.C.
		Article nr.					
Sample board with special dimension, piece	Please indicate!	1775730				1	





Delivery information

page 313



General terms and condition of sale

page 314

1. Product information
2. Misuse (inappropriate use)
3. Product performance
4. Product care
5. Duty to inform
6. Application of regulations

Product reliability

page 320




Guarantee

page 323




Conditions of use

page 325



Index – in numerical ascending order by article-number

page 326




Index – in numerical ascending order by design-number

page 329

Product lines
Series name
duravert®
Acapulco
Athinai
Bergen
Brisbane
Capri
Genova

Produkt overview

page 331



Order quantities

... should be by pack unit (P.U.) and outer carton (O.C.) as indicated!
Otherwise **€ 2,50** (net) will be charged per opened outer carton.

F2			P.U.	O.C.
Article no.			1	5
01530			1	5
01556			1	5

Matching screws ...

... will be included as standard in the delivery of most HOPPE brand products.

Orders ...

... are subject to the General Conditions of Sale (see p. 314).



Product reliability ...

... of hardware systems for doors and windows. Please see details on p. 320.

Guarantee ...

... relating to Resista® and the operational guarantee. Please see further information on p. 323.

Resista®



(as per 09/2014)

§ 1 General – Extent of application

- 1.** Our General Terms and Conditions of Sale shall apply exclusively; we do not recognise customers' conditions which are contrary to or different from our General Terms and Conditions of Sale, unless we have expressly agreed in writing that they shall apply. Our General Terms and Conditions of Sale shall even apply in cases in which we make delivery to the customer unreservedly although we are aware that there are conditions of the customer which are contrary to or different from our General Terms and Conditions of Sale.
- 2.** All agreements made between us and the orderer, for the purpose of the execution of this contract, shall be laid down in writing in this contract.
- 3.** Our General Terms and Conditions of Sale shall apply only to merchants.
- 4.** Our General Terms and Conditions of Sale shall also apply to all future business transactions with the customer, even if in such future cases no specific reference is made to the application of these General Terms and Conditions of Sale.

§ 2 Offer – Offer documents

- 1.** All offers made on our behalf are subject to confirmation by us in every respect.
- 3.** We shall retain ownership and copyright of diagrams, drawings, calculations and other documents; they may not be made available to third parties. This applies especially to those written documents which are labelled „confidential“. The customer shall require our written agreement before passing them to third parties.

§ 3 Confirmation

- 1.** Orders shall only be regarded as binding by us once they have been confirmed in writing or electronically.
- 2.** For our part, contestability due to error shall still be deemed to be timely when there has been an appropriate period of time since the discovery of the reason for contestation and not immediately following such discovery.

§ 4 Prices

- 1.** Unless stated otherwise in the order confirmation, our prices shall apply „ex works“ exclusive of packaging for transport; the latter shall be invoiced separately.
- 2.** HOPPE reserves the right to adjust prices even after conclusion of contract, if cost increases caused by raw material prices or union agreements cannot be absorbed.
- 3.** Statutory value added tax is not included in our prices; it will be shown separately in the invoice at the statutory rate applicable on the date of invoicing.

§ 5 Dispatch

1. If the goods are dispatched to the customer at his request, the customer shall assume the risk of accidental loss or deterioration of the goods at the latest at the time the goods leave the works/warehouse. If the goods are ready for dispatch and the dispatch or acceptance are delayed for reasons for which the purchaser is responsible, then the risk shall be assumed by the purchaser from the date of receipt of notice that the goods are ready for dispatch.

2. The purchaser shall bear the transport costs; packaging is invoiced at cost price and is nonreturnable.

§ 6 Payment

1. In line with market customs. Other methods of payment shall require the written form. No discount on new invoices shall be allowed if older invoices have not yet been paid in full.

2. If counterclaims are not established by way of a final judgment of a court of competent jurisdiction or are not accepted by us, the customer may neither set off nor assert the right to withhold payment with regard to these claims. Moreover, he may exercise his right to withhold payment only if his counterclaim rests on the same contractual relationship.

3. If payment is delayed, interest payable on arrears shall be invoiced at the appropriate bank rates of interest. All payments shall be made exclusively to us. Bills of exchange shall be accepted only on account of performance without guarantee for protest and only subject to our prior consent and further provided that they are eligible for discount. Discounting charges shall be calculated from the due date of the amount invoiced. All our claims - including those for which we have accepted bills of exchange in payment - shall fall due immediately, if the terms of payment are not adhered to or if, upon conclusion of the contract, we become aware of clear indications of the purchaser's diminished credit-worthiness. Moreover, in such a case, we shall be entitled to refuse further performance due on our part until payment has been effected or security has been provided for it. We may also prohibit the resale of the goods delivered under reservation of ownership and may demand their return.

§ 7 Delivery period, act of God, industrial action

1. Agreed or informed delivery times shall be adhered to as far as possible, but are not binding.

2. If the supplier is hindered in fulfilling his obligations by the emergence of unforeseen circumstances, which, notwithstanding his reasonable care as required by the circumstances of the case, he could not prevent, e.g. breakdown, delay in the supply of essential raw materials and building materials, the delivery period shall be extended to an appropriate extent provided that it is still possible to perform the delivery or the service. The same shall apply if we ourselves are affected by such events. If the delivery or the service is not possible because of the above-mentioned circumstances, we shall be released from the obligation to deliver. The same shall apply in the event of a strike or lockout. If the delivery period is extended in these 3 cases or if the supplier is

released from the obligation to deliver, any claims for damages that the purchaser may base thereon shall cease. If the above-mentioned circumstances affect the purchaser, the same legal consequences shall also apply to his obligation to purchase.

3. It shall be the duty of the contract partner affected by the hindrances as mentioned in the previous paragraph to inform the other contract partner forthwith. No legal action resulting in possible benefit shall be entered into if this is not done.

§ 8 Notification of defects, liability in particular with respect to defects and returned goods.

1. Our liability for defects assumes that the orderer has complied properly with the conditions of sale pertaining to requirement to examine and notify defect. It shall be the duty of the orderer to notify us in writing of any defects within a period of five days following receipt in the case of recognisable defects and immediately upon discovery in the case of unrecognisable mistakes.

2. In cases of justified complaint, we maintain the right to decide to rectify the defect or provide alternative goods. Claims on behalf of the orderer in respect of required expenses pertaining to the making good of the complaint, especially transport-, means-, work- and material-costs, are excluded, in so far as the expenses increase as a result of the subsequent delivery of an item to a location other than that of the place of business of the orderer, unless (such delivery) complies with use in accordance with the requirements.

The orderer shall be required to set out an appropriate timetable with right of rejection before further rights are called into force. This shall be invalid if we have previously expressly rejected making good. Should the matter to be delivered be only in kind, then any of claims for compensation whatsoever, independent of guilt, shall be ruled out. Furthermore, we shall only be responsible for such claims where cases of gross negligence or intention are proven.

This limitation is not valid in cases of damage in relation to injury to life, body or health, caused through gross negligent breach of duty on our part or a deliberate or negligent breach of duty on the part of a legal representative or accessory. Neither shall it be valid in cases where any other damage is caused through gross negligent breach of duty on our part, or a deliberate or gross negligent breach of duty on the part of a legal representative or accessory.

3. The validation of claims resulting from quality or durability guarantees shall have force only if such a guarantee has been issued expressly by us in writing. In the case of claims under the guarantee, it is the duty of the orderer to provide us with appropriate items from the consignment immediately so that examination can be made.

4. Any claim in respect of defects shall expire two years after delivery. Limitation shall be extended by means of a written explanation by the orderer making a claim to such time as making good on our part be refused in writing, whereby access to the written explanation by the other contact partner shall be of prime importance.

5. In the case of obligation to pay damages as a result of a breach of contractual duty on our part, the claim shall be restricted to the cover of the costs of the product liability insurance. This restriction shall not apply in the case of damages in relation to life, body or health, which arise out of negligent breach of duty on our part or out of an intentional or negligent breach of duty on the part of a legal representative or accessory. Neither shall it apply in the case of any other damage caused through gross negligence on our part or through deliberate or gross negligent breach of duty on the part of a legal representative or accessory.

6. In so far as our liability is excluded or limited, this shall also apply to the personal liability of our employees and other accessories.

7. Prior written consent is needed before goods can be returned from the customer. Should the goods be returned justifiably on account of defect in the goods supplied, then the customer may insist on agreement, if the said customer has a special interest in returning the goods.

§ 9 Deliveries

1. Quantities ordered will be delivered in packaged units. It shall be deemed to be agreed that we shall be permitted to make under- and over-deliveries of up to 10% on customer-specific products, subject to manufacturing.

2. Partial deliveries for which invoices are issued shall be considered as separate contracts.

§ 10 Reservation of Title

1. We reserve title to the goods until all payments due under the contract and these General Terms and Conditions of Sale have been made. In the event of behaviour on the part of the customer contrary to the terms of the contract, especially delay in payment, we shall be entitled to take the goods back. Our retrieval of the goods shall not constitute a termination of the contract unless we have expressly stated the same in writing. Seizure of the goods on our part however always constitutes termination of the contract. After retrieving the goods, we shall be entitled to use the same, the proceeds from such utilisation being taken into account against the liabilities of the customer after deduction of appropriate costs.

2. The customer shall be obliged to treat the goods with care. In particular he shall be obliged to sufficiently insure them at his own expense against fire, water damage and theft at their replacement value.

3. In the event of seizure or other interventions by third parties the customer shall inform us in writing without delay, so that we may take legal action. If the third party is not in a position to reimburse us for the legal and out of court costs of an action the customer shall be liable for the loss arising.

4. Any processing or conversion of the goods by the customer shall always be undertaken on our behalf. Where the goods are processed with other objects not belonging to us we shall thereby acquire co-ownership of the new object in the ratio of the value of the goods to the other processed objects at the time of processing. Moreover, the same conditions shall apply to the object created by processing as apply to the goods delivered under reservation of title.

5. Where the goods are mixed with objects not belonging to us we shall acquire co-ownership of the new objects in the ratio of the value of the goods to the other objects at the time of mixing. If the mixing occurs in such a way that the customer's object must be regarded as the main object it shall be deemed as to us proportionately. The customer shall hold in safe-keeping for us such goods in sole ownership or co-ownership.

6. As security for our claims against the customer the latter shall assign to us any claims against a third party which may arise from the connection of the goods with a property.

7. We undertake to release at the request of the customer securities to which we are entitled, insofar as the value of our securities exceeds the claims to be secured by more than 20%; the choice of securities to be released shall rest with us.

§ 11 Cost of tools

1. As a matter of principle the costs for tools shall be charged only in part and separately from the value of the goods. By paying part of the cost of the tools the customer shall not acquire any claim to the tools; the tools shall remain the property of the manufacturer and remain in his possession. The manufacturer undertakes to retain the tools for the customer for one year after the last delivery. If, before expiry of this period, the customer notifies that orders will be placed within a further year the period of safe-keeping will be extended for a further year. After this period and with no further orders being placed the manufacturer may freely dispose of the tools.

2. Costs for tools arising from orders which fail to come to fruition: For orders that are cancelled in the development stage (due to difficulties of design or conversion) or in the run-up period, we reserve the right to invoice the costs incurred. In this context, for release of the samples the costs incurred for the initial tools shall be invoiced. If cancellation occurs after the release of samples, the costs incurred for the entire extent of the standard tools, special equipment and gauges, depending on the anticipated monthly requirement, shall be invoiced.

3. If tools which are in the process of being produced are invoiced, they shall remain available for inspection for four weeks and shall be scrapped at the end of this period. In order to protect the processes applied, completed plans for work phases and construction drawings of the tools shall not be subject to inspection.

§ 12 Period of acceptance

1. Where the purchaser is obliged to request delivery or collect the goods ordered within a certain period, we shall have the option, after expiry of that period, to terminate the contract or to issue an invoice.

§ 13 Destination, place of jurisdiction, applicable law

1. Place of performance for all obligations arising from the contractual relationship shall be the head office of the Supplier.

2. Place of jurisdiction: place of jurisdiction for any dispute arising from the contractual relationship shall be CH-7000 Chur/GR.

3. Swiss law shall apply excluding the provisions of the Vienna Convention on the Sale of Goods.

4. In the event of any dispute arising out of the interpretation of these general terms and conditions, the German language version shall be regarded as binding. Should any one of the provisions of this Agreement be or become legally invalid the validity of the remaining provisions hereof shall not be affected thereby. The Partners undertake instead to replace the invalid provision by another provision which shall to the greatest extent possible correspond to the spirit and the economic effect of the invalid provision. By analogy, the Partners shall correct any provisions hereof which are unclear or may be construed or interpreted in different ways, or add any provisions which may have been omitted, which correction and addition of provisions the Partners undertake to execute amicably and by mutual agreement, maintaining the spirit of the entire set of Agreements.

Product liability of door and window hardware (eg door handle sets and window handles)

1. Product information and application according to instruction
2. Misuse (inappropriate use or use contrary to instruction)
3. Product performance
4. Product care
5. Duty to inform and instruct
6. Application of related hardware
7. Resista® – The HOPPE surface guarantee
8. HOPPE function guarantee for door and window hardware

As a result of a new product liability law, the manufacturer is to define products as to their performance (duty to instruct and inform).

HOPPE is thereby providing the following information.

1. Product information and application according to instruction

HOPPE hardware fittings are manually-operated appliances by means of which doors, French doors and windows in domestic and non-domestic buildings can be opened or closed and/or locked.

They are normally used in conjunction with supplementary hardware such as locks, cylinders or tilt/turn hardware.

Special provisions of law have to be observed in the case of fire doors and the direction of escape for example, in cases where a fixed fitting (knob, handle) is used.

It is imperative that only the parts supplied for fixing are used and also that fixing instructions are strictly adhered to.

This applies to all means of fixing

- a) supplied by HOPPE
- b) supplied by other manufacturers as integral parts of their hardware (eg. screws supplied by the manufacturer of tilt/turn hardware for windows).

Products which are installed in aggressive, corrosion-inducing areas are special fittings. They should only be used (applied) following consultation with HOPPE.

2. Misuse (inappropriate use or use contrary to instruction)

Misuse of fittings for doors and windows, ie using the product contrary to instruction, may occur in particular when

- tools, such as pliers or tubular adaptors are used,
- additional loads (blocking loads or support loads) have an impact, for example when an object is placed under the handle to block the door,
- when force over and above normal manual use is applied to the handle, for example when attempting to force a tilt/turn fitting beyond its normal rest position or when children, for example, use door handles as something to hold on to.

- foreign objects or objects contrary to instruction, such as spindles manufactured by other companies are used or when such products are used alongside HOPPE products,
- tampering has occurred which interferes with the function of the product, for example in attempting to break in or out with tools in the case of lockable window handles,
- sharp objects are used to damage the surface,
- foreign objects and/or objects contrary to instruction are introduced into the hardware or strike-plate so as to prevent normal use,
- tampering with the hardware or strike-plate has occurred resulting in damage to the construction or adversely affecting function or effectiveness.

3. Product performance

The DIN 18255, DIN 18257 and DIN 18273 standards for door hardware and the RAL-GZ 607/9 standard for window hardware are definitive (in a pioneering sense).

The content of these standards applies in the same way to other fittings too.

In the case of window handles, the regulations of appropriate institutes, such as the Institute for Window Technology in Rosenheim apply in addition to those of RAL.

No other conditions may be added without prior approval by HOPPE.

The durability of a product is especially dependent on the frequency of

- use
- type of use
- location and care.

Replacement of the fitting shall occur only when, despite proper maintenance and care, it no longer functions or when the surface may cause injury.

4. Product care

It is essential that the fitting and fixing-means are fitted correctly!

All movable parts are to be correctly maintained at least once a year.

This is particularly so in the case of door handle - spindle connections as well as in locking cylinders for lockable window handles. It is essential that no resinous lubricants (graphite is appropriate) are used in the locking cylinders.

Dependent on the amount of use, fittings should be treated by agents recommended by HOPPE .

Basically no strong acids or alkalis should be used. Contact with mortar and similar substances should also be avoided. Only cleaning agents which do not contain corrosion-inducing substances should be used.

5. Duty to inform and instruct

The following information material is available to the trade, planners/ architects, advisory institutions, installers, builders and users:

- catalogues and brochures,
- offer documentation
- DIN standards: 18255, 18257, 18273 as well as related standards (published by Beuth GmbH, 10785 Berlin) along with instructions for fixing, use and care.

Where necessary HOPPE is also able to advise.

When choosing HOPPE fittings as well as for their fixing, use and care,

- architects, planners and advising institutions are expected to request all the necessary product information from HOPPE and to adhere to it,
- architectural hardware distributors are expected to observe the product information in the documentation and in particular request all the necessary mounting instructions and pass them on to the installers,
- installers are expected to observe all product information, especially HOPPE's instructions relating to use and care and to pass them on to the contractors and users.

6. Application of related hardware

All possible variations within the individual fittings, as well as accessories, are expected to be used appropriately with regard to their particular qualities according to the requirements of product liability as listed above.

1. Resista® – The HOPPE surface guarantee



Guarantee:

As manufacturer, we guarantee, under the conditions set forth below, the durability of properly-used HOPPE hardware, over and above the seller's legal liability for material defects. The Resista® surface guarantee includes all defects which can be proved to have been caused through fault in manufacturing or material, for example when the surface is tarnished or discoloured (appearance of spots) or the protective surface has become separated from its base material, and not through improper use.

Guarantee Exclusions:

All interchangeable parts, such as screws, connecting spindles and springs etc, are excluded from this guarantee. Furthermore, no liability will be assumed for any damage caused through:

- unsuitable or improper use
- incorrect or negligent treatment
- disregard for instructions for fitting or care
- alterations or repair by the enduser or a third party
- chemical or physical agents, where the surface has been improperly treated, for example by sharp-edged instruments.

Guarantee Conditions:

This guarantee relates, within the guarantee period, solely to either replacing the handle free of charge or to repairing same free of charge, on behalf of the original enduser, this decision being at HOPPE's discretion. Costs and expenses, postage and packaging and similar, as incurred by the complainant, shall not be reimbursed. Claim to guarantee shall only occur on presentation of the product itself and the receipt and shall not exceed the original purchase price.

Guarantee period:

The guarantee period shall be for 10 years and shall begin on the day of purchase by the original enduser. In the event of any claim, complainants should address themselves directly to the seller or manufacturer presenting both the product and the receipt.

HOPPE Holding AG · Via Friedrich Hoppe · 7537 Müstair



2. HOPPE operational guarantee for door and window hardware

Guarantee:

As manufacturer, we guarantee, under the conditions set forth below, the durability of properly-used HOPPE hardware, over and above the seller's legal liability for material defects. The guarantee applies to the function of HOPPE door and window hardware and includes all defects which can be proved to have been caused through fault in manufacturing or material.

The operational guarantee includes the following features:

- transfer of the rotary motion to the door lock or the window turn-/tilthard ware
- locking mechanism (in the case of window handles with special functions: lockable, push-to-open, Secustik®)

Guarantee Exclusions:

All interchangeable parts, such as screws, connecting spindles etc, are excluded from this guarantee. Furthermore, no liability will be assumed for any damage caused through:

- unsuitable and improper use,
- incorrect or negligent treatment,
- the disregard of instructions for fitting or care, alterations and repair by the enduser or a third party,
- chemical or physical agents, where the surface has been improperly treated, for example by sharp-edged instruments,
- elements (door, window) and/or hardware parts (e.g. locks, hinges etc.) which do not work perfectly.

Guarantee Conditions:

This guarantee relates, within the guarantee period, solely to either replacing the handle free of charge or to repairing same free of charge, on behalf of the original enduser, this decision being at HOPPE's discretion. Costs and expenses, postage and packaging and similar, as incurred by the complainant, shall not be reimbursed. Claim to guarantee shall only occur on presentation of the product itself and the receipt and shall not exceed the original purchase price.

Guarantee period:

The guarantee period shall be for 10 years and shall begin on the day of purchase by the original enduser. In the event of any claim, complainants should address themselves directly to the seller or manufacturer presenting both the product and the receipt.

HOPPE Holding AG · Via Friedrich Hoppe · 7537 Müstair

Conditions for the use of HOPPE pictures/technical drawings

HOPPE Holding AG, CH-7537 Müstair, hereinafter referred to as HOPPE, in the interests of cooperation with its partners in the promotion of goods supplied by HOPPE, makes available the enclosed pictures and technical drawings without charge. Both illustrated products and pictures/technical drawings are protected by copyright to which HOPPE has unrestricted entitlement. This is equally valid for HOPPE's brand rights used in connection with the pictures and technical drawings.

HOPPE allows the use of its pictures/technical drawings in print media, e.g. in catalogues and similar sales documentation, for users' distribution to customers. HOPPE is, however, to be informed in advance of the use of such pictures/technical drawings in advertisements and on the internet.

The user is to inform the printers/service providers involved that the pictures/technical drawings are protected by copyright. The user shall not be titled to alter the pictures/technical drawings as made available by HOPPE in any way whatsoever, e.g. in using pertinent picture-editing programmes, though he may take measures to alter the size of the image for printing purposes.

The user is to undertake all the necessary precautions to protect the pictures/technical drawings made available by HOPPE from misuse by a third party and is to inform HOPPE without delay in the event of any such misuse being discovered.

Two copies of the printed matter showing use of the said pictures/technical drawings are to be sent to HOPPE. In using such pictures/technical drawings, the user automatically consents to the conditions of use. Swiss law shall apply. Place of jurisdiction to be CH-7000 Chur/GR, Switzerland.

Müstair, January 2006

File formats

You can get picture and drawing data from HOPPE in the following standard formats:

Type of format	Pictures		Catalogue drawing		
	Pixel*	Pixel*	Pixel*	Vector**	
File format	jpg	tif	tif	eps	dwg
Compression	9 / standard	LZW	LZW	none	none
Mode	RGB	CMYK	Bitmap	-	-
Resolution	300 dpi	300 dpi	750 dpi	independent	independent

Other file formats available on request.


*Pixel files can only be enlarged to 20-25% of the original size.

**Vector files can be enlarged as required without loss of quality.

Examples



File name:
1138-42K+KV-42KS+KVS-PZ-F1



File name:
1138-42K-42KS-PZ

Index – in numerical ascending order by article-number

Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page
508679	142	658077	232	828074	231	2125544	158	2537194	212	2572070	224
515066	298	658084	232	829316	295	2125579	158	2537207	212	2572088	224
515073	298	658091	232	832965	273	2125587	158	2537240	212	2572096	224
517053	181	658107	232	1652641	290	2149116	296	2537258	212	2572109	224
517060	181	658114	232	1683894	297	2159120	160	2537274	212	2572117	224
517077	181	658121	232	1693048	273	2160981	305	2537282	212	2572192	224
517565	297	658138	232	1694104	232	2195606	231	2537291	212	2572205	224
517572	297	658145	231	1704608	120	2206301	276	2537338	213	2572213	224
517589	297	658152	236	1707462	232	2206344	276	2537362	213	2572221	224
517596	297	658176	233	1720886	231	2206387	276	2537389	213	2572248	216
518074	156	658183	233	1750719	232	2206766	276	2537397	213	2572256	216
518524	297	658190	233	1751033	177	2206782	276	2537400	213	2572264	216
518531	297	658206	233	1751084	177	2206811	278	2537418	213	2572281	216
518555	297	658220	233	1751105	177	2206838	278	2539077	166	2572336	216
519071	296	658282	232	1751201	178	2206862	280	2539229	166	2572344	216
519095	296	658299	232	1751210	178	2206871	280	2540449	166	2572352	216
519118	296	658305	232	1775650	307	2212816	230	2540481	166	2572361	216
519163	296	658312	232	1775668	307	2212824	230	2540650	166	2572379	216
519170	296	658657	236	1775730	310	2215890	236	2540705	166	2572387	216
519187	296	658664	236	1775810	309	2215902	236	2546664	166	2572395	216
519200	297	658671	231	1775844	308	2229765	161	2546672	166	2572408	216
523016	120	658688	231	1775879	308	2246127	142	2546681	166	2572416	216
530021	290	658695	231	1776601	121	2246186	120	2546699	166	2572424	216
545971	124	658701	231	1791908	262	2248051	175	2546701	166	2572432	216
553648	273	672578	297	1791916	263	2266451	175	2546710	166	2572459	216
556090	277	678013	271	1841717	296	2285396	232	2546744	166	2572521	216
556106	277	691661	156	1841733	296	2292473	280	2546761	166	2572539	216
556144	273	693078	297	1843860	281	2301886	265	2546947	220	2572547	216
564187	308	693900	271	1885015	281	2301894	265	2546971	220	2572555	216
564712	121	698554	290	1885306	120	2301907	265	2546980	220	2572563	222
564729	121	762712	120, 142	1885331	120	2301915	265	2547000	220	2572571	222
572717	236	762750	120, 142	1885939	178	2325845	177	2547018	220	2572580	222
572724	236	762804	120, 142	1885963	178	2325853	177	2547042	220	2572598	222
573585	295	763009	295	1886288	281	2345942	270	2547051	220	2572601	222
575121	236	763870	294	1894384	262	2345951	270	2547077	220	2572619	222
575138	236	766260	235	1894499	262	2346179	271	2547085	220	2572660	222
588282	279	771967	297	1894675	263	2346195	271	2547106	220	2572678	222
591732	235	777402	309	1894712	263	2404842	160	2547114	220	2572686	222
592494	294	780952	235	1901530	313	2450929	202	2547131	220	2572694	222
595297	277	781270	228	1901556	313	2450937	202	2547149	220	2572707	222
598212	278	781485	235	1904116	160	2450945	202	2547165	220	2572715	222
600168	294	781690	228	1904175	160	2450953	202	2547173	220	2572723	222
602001	122	781829	228	1904183	160	2450961	194	2547190	220	2572731	222
602018	122	782116	228	1917347	229	2450970	194	2547202	220	2572740	222
602551	273	782277	226	1997720	177	2450988	194	2547211	220	2572758	222
602575	277	782796	235	1998263	177	2450996	194	2547229	220	2572766	222
602599	273	782802	228	1998271	177	2451905	202	2547237	220	2572774	222
602605	277	783458	231	2010595	274	2451921	202	2547245	221	2572782	222
604531	287	783656	231	2010624	274	2451930	202	2547261	221	2572791	222
605200	288	783748	228	2010632	274	2451948	202	2547270	221	2572803	222
605217	288	785506	226	2010659	274	2451956	194	2547288	221	2572811	222
605224	289	785711	231	2010974	274	2451972	194	2547296	221	2572820	222
605231	289	786855	229	2010982	274	2451981	194	2547309	221	2572838	222
605248	289	786916	228	2011029	274	2451999	194	2550882	273	2572934	222
605255	289	787203	229	2011037	274	2453046	231	2550891	273	2572942	222
605262	289	788576	226	2011053	275	2475907	218	2570912	210	2572951	222
605279	289	790487	229	2011061	275	2475940	218	2571042	210	2572969	222
605422	294	798452	226	2011555	275	2475958	218	2571051	210	2572977	222
605439	294	798483	226	2011571	275	2475974	218	2571069	210	2572985	222
605477	271	807215	272	2011598	275	2475991	218	2571077	210	2573005	218
605484	271	812745	290	2011643	275	2476061	218	2571085	210	2573013	218
606269	272	812752	290	2011678	275	2478614	232	2571093	210	2573021	218
606511	287	812769	290	2011707	275	2480415	202	2571114	210	2573030	218
609253	270	812783	290	2039101	176	2480431	202	2571341	226	2573179	218
610563	277	814206	157	2039620	176	2480440	202	2571368	226	2573187	218
610617	279	814299	158	2039945	175	2480458	202	2571392	226	2573195	218
621248	234	814787	156	2040250	175	2480466	194	2571430	226	2573208	218
621255	234	814817	156	2040276	176	2480482	194	2571448	226	2573216	218
623075	234	814961	157	2040321	176	2480491	194	2571456	226	2573224	218
623082	234	814978	157	2047671	158	2480511	194	2571464	226	2573232	218
625826	122	815074	157	2059049	176	2491106	232	2571472	226	2573241	218
625895	124	817979	159	2059065	176	2492416	211	2571499	226	2573259	218
626045	122	818761	159	2072876	68	2492483	211	2571501	226	2573267	218
626052	122	820221	287	2072884	68	2492491	211	2571940	224	2573275	218
646098	309	820238	288	2079074	306	2492512	211	2571958	224	2573283	218
646753	294	820412	286	2099649	233	2492521	211	2571966	224	2573291	218
649808	294	820429	286	2119241	307	2492547	211	2571974	224	2573304	218
650842	231	820504	286	2122749	158	2492555	211	2572002	224	2573312	218
653379	122	820511	286	2122757	158	2492571	211	2572011	224	2573321	218
655908	270	820641	295	2124357	158	2493451	264	2572029	224	2573460	218
655946	272	820849	298	2124816	161	2530321	309	2572037	224	2573478	218
655953	272	822003	236	2124824	161	2537119	212	2572045	224	2573486	218
658053	232	823246	298	2125000	158	2537151	212	2572053	224	2573494	218
658060	232	823277	298	2125536	158	2537160	212	2572061	224	2573507	227

Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page
2573515	227	2575406	232	2822374	80	2827589	58	2839459	108	3054709	263
2573523	227	2575422	232	2822391	80	2828717	146	2839483	108	3054717	263
2573540	227	2575457	232	2822403	80	2828725	146	2839504	108	3054725	210
2573558	227	2575473	232	2822411	80	2828741	146	2839547	108	3054733	210
2573566	227	2575502	232	2822446	80	2828768	146	2839555	178	3054741	210
2573611	227	2611059	279	2822454	80	2828784	146	2839563	178	3054750	210
2573620	227	2619317	233	2823051	22	2828792	146	2839694	108	3054768	210
2573638	227	2619325	233	2823511	38	2829349	151	2839707	108	3054776	210
2573646	227	2623471	166	2823529	38	2829357	151	2839715	108	3054784	210
2573654	227	2623498	166	2823959	147	2829365	151	2839969	150	3054792	210
2573662	227	2653435	304	2823967	147	2829381	151	2839977	300	3054813	27
2573671	227	2653443	304	2823975	147	2829402	151	2839985	150	3054821	27
2573689	227	2653451	305	2823991	147	2829411	151	2839993	299	3054830	27
2573697	227	2664062	268	2824011	147	2829429	151	2840011	150	3054848	27
2573700	227	2664071	268	2824038	147	2829437	151	2840151	150	3054899	34
2573718	227	2664089	268	2824046	147	2829445	151	2840249	150	3054901	34
2573726	227	2664097	268	2824054	147	2829453	151	2840302	150	3054910	34
2573734	227	2664100	268	2824492	72	2829461	151	2840329	178	3054928	34
2573742	227	2664118	268	2824513	34	2829470	151	2840345	150	3054952	34
2573751	227	2664126	268	2825209	30	2829488	151	2840353	178	3054961	34
2573769	227	2664134	268	2825217	30	2829496	151	2840361	150	3054979	34
2573777	227	2664142	268	2825313	30	2829509	151	2840370	177	3054987	34
2573785	227	2664151	268	2825461	27	2829517	151	2840388	177	3055613	181
2573970	225	2667108	268	2825495	34	2829533	151	2840396	177	3055621	161
2573988	225	2667116	268	2825508	80	2829541	151	2844784	269	3055630	161
2573996	225	2694202	219	2825516	80	2829912	262	2844805	269	3055648	161
2574008	225	2694211	217	2825524	80	2829921	263	2844813	269	3055656	161
2574024	225	2694229	221	2825532	80	2829947	147	2844821	269	3057011	288
2574032	225	2694245	223	2825541	80	2829963	147	2844830	269	3058048	109
2574041	217	2694253	225	2825559	80	2829971	147	2844848	269	3058161	109
2574059	217	2694851	279	2825567	81	2830016	151	2851571	27	3058216	109
2574067	217	2694860	279	2825575	81	2830024	151	2851597	27	3058304	131
2574075	217	2694878	279	2825591	81	2830041	151	2854000	42	3058312	131
2574083	217	2723712	304	2825604	81	2830059	151	2854026	42	3058321	131
2574091	217	2723747	306	2825612	81	2830075	151	2858781	27	3070979	226
2574104	223	2723755	306	2825621	81	2830083	151	2876751	144	3112542	136
2574112	223	2723763	306	2825639	81	2830260	72	2876794	136	3126207	264
2574121	223	2723771	306	2825663	81	2830585	126	2910868	70	3137782	26
2574139	223	2723780	306	2825671	81	2830622	126	2919432	144	3137803	26
2574147	223	2723798	306	2825680	43	2830649	126	2919539	136	3137820	26
2574155	223	2723801	306	2825698	43	2830673	126	2919547	136	3137846	26
2574201	219	2725726	229	2825701	43	2830729	126	2919854	136	3137854	26
2574219	219	2727511	57	2825727	43	2830745	126	2931001	200	3137889	26
2574243	219	2727529	57	2825743	43	2831271	147	2931010	200	3165345	160
2574260	219	2727537	57	2825751	43	2831297	147	2931036	200	3189494	111
2574278	219	2727545	57	2825778	30	2831300	147	2931044	200	3189734	133
2574294	219	2760249	310	2825786	43	2831326	147	2931052	200	3189769	140
2574358	228	2794481	307	2825794	43	2831334	147	2931061	200	3189793	49
2574374	228	2810728	147	2825807	43	2831351	147	2931079	200	3189881	19, 39, 49
2574391	228	2813128	106	2825815	43	2832054	72	2931095	200	3189929	19, 39, 49
2574411	228	2813291	106	2825823	43	2832071	72	2931221	200	3189953	19, 39, 49
2574438	228	2820820	22	2825831	43	2832089	72	2931247	200	3189988	66, 88, 90
2574471	228	2820838	22	2825840	43	2832100	72	2931255	200	3189988	94, 97, 104
2574534	229	2820969	27	2825858	52	2832118	72	2931263	200	3189988	133, 140
2574542	229	2820993	27	2825866	43	2832126	72	2931360	200	3189996	66, 88, 90
2574702	236	2821021	27	2825874	43	2832169	72	2931394	200	3189996	94, 97, 104
2574711	236	2821435	71	2825882	43	2832177	72	2931407	200	3189996	133, 140
2574745	236	2821443	71	2825891	52	2832185	72	2931431	200	3190006	66, 88, 90
2574796	236	2821478	71	2825903	52	2832193	72	2947484	108	3190006	94, 97, 104
2574833	236	2821591	71	2825971	48	2832206	72	2947572	108	3190006	133, 140
2574841	236	2821611	71	2825989	30	2832222	72	2947599	108	3190022	45, 74, 83
2574905	234	2821654	71	2825997	48	2832231	72	2954473	70	3190022	111, 153
2574913	234	2821662	71	2826009	52	2833604	38	2971548	18	3190031	45, 74, 83
2574921	235	2821700	71	2826025	48	2837066	204	2971556	18	3190031	111, 153
2574948	235	2821718	71	2826033	52	2837074	204	2971564	18	3190049	45, 74, 83
2574956	235	2821734	71	2826041	52	2837091	204	2971572	18	3190049	111, 153
2574964	235	2821822	34	2826068	138	2837103	204	2971581	18	3201182	153
2574972	235	2821849	34	2826076	52	2837111	204	2971599	18	3201191	74
2574981	235	2821857	34	2826084	138	2837138	204	2971601	18	3201203	83
2575027	231	2821890	34	2826105	52	2837146	204	2971610	18	3201211	19
2575051	231	2821929	34	2826113	138	2837154	204	2971628	18	3201238	45
2575078	231	2821937	34	2826130	145	2838798	204	2971636	18	3201254	39
2575094	231	2822180	80	2826148	145	2838801	204	2971644	18	3202601	70
2575115	231	2822198	80	2826156	30	2838819	204	2971652	18	3202610	70
2575123	231	2822201	80	2826172	145	2838827	204	2971661	18	3203330	70
2575140	231	2822227	80	2826199	30	2839061	130	2971679	18	3203348	70
2575254	232	2822235	80	2826391	30	2839070	130	2971687	18	3206522	246
2575318	232	2822251	80	2827511	58	2839109	130	2971695	18	3206549	246
2575334	232	2822260	80	2827520	58	2839117	130	3043858	262	3206557	246
2575351	232	2822286	80	2827538	58	2839133	130	3047728	68	3206573	246
2575369	232	2822294	80	2827546	58	2839141	130	3054611	22	3206581	246
2575377	232	2822307	80	2827554	58	2839176	130	3054629	22	3206590	246
2575385	232	2822315	80	2827562	58	2839248	130	3054645	22	3206602	246
2575393	232	2822331	80	2827571	58	2839432	108	3054696	262	3207138	242

Index – in numerical ascending order by article-number

Article no.	Page	Article no.	Page	Article no.	Page	Article no.	Page
3207146	242	3292133	115	3800126	174	3947911	251
3207154	242	3292141	115	3800134	174	3947929	251
3207162	242	3292150	115	3800142	174	3947937	251
3207251	247	3292230	115	3800169	174	3947953	250
3207269	247	3292248	115	3800177	174	3947970	250
3207277	247	3292256	115	3800185	174	3947988	250
3207285	247	3301141	128	3800636	172	3947996	250
3207293	247	3358534	128	3800644	172	3948008	250
3207306	247	3371245	117	3800652	173	3948024	250
3207314	247	3374497	66	3800679	173	3948032	250
3207736	243	3391174	269	3800695	173	3948041	250
3207744	243	3391191	269	3800708	173	3948059	250
3207752	243	3391203	269	3800724	173	3948067	250
3207761	243	3391211	269	3800767	173	3948075	253
3242996	172	3409611	128	3800775	173	3948083	253
3243067	172	3420140	310	3800791	173	3948091	253
3243104	172	3429144	90	3800804	173	3948104	253
3246305	172	3429152	97	3800855	173	3948112	253
3246330	172	3481428	168	3800880	173	3948121	253
3257338	116	3481479	168	3800898	173	3948139	253
3257346	116	3525785	305	3801196	172	3948147	253
3257354	116	3532192	297	3801217	172	3948155	253
3257362	116	3588583	88	3801233	172	3948163	253
3257371	116	3589308	94	3801250	172	3948180	252
3257389	116	3652231	86	3801372	173	3948198	252
3257397	116	3652266	86	3801401	173	3948201	252
3257400	116	3652506	86	3802261	168	3948219	252
3257426	116	3652629	86	3802527	168	3948227	252
3257434	116	3652661	86	3803298	173	3948235	252
3257442	116	3653234	86	3817462	167	3948251	252
3257451	116	3676971	87	3817518	167	3948260	252
3257469	116	3676997	87	3825024	299	3948278	252
3257477	116	3677113	87	3836831	168	3948286	252
3257485	116	3679451	170	3836840	168	3948307	255
3257493	116	3679477	170	3842810	110	3948315	255
3257506	116	3703051	87	3842844	132	3948323	255
3257522	116	3734181	104	3842852	139	3948331	255
3257531	116	3738019	179	3848082	168	3948340	255
3257549	116	3738027	179	3848111	168	3948374	255
3257557	116	3738035	179	3848154	168	3948382	255
3257565	116	3738078	179	3848162	168	3948391	255
3257573	116	3738086	179	3854255	44	3948403	255
3257581	116	3738094	179	3854263	73	3948411	255
3272909	114	3738107	179	3854271	44	3948420	254
3272917	114	3738115	179	3854280	44	3948438	254
3272925	114	3738123	179	3854298	152	3948446	254
3272933	114	3759581	299	3882344	165	3948454	254
3272941	114	3772751	306	3882352	165	3948462	254
3272968	114	3775899	308	3882361	171	3948489	254
3272976	114	3794070	172	3882379	171	3948497	254
3272984	114	3794125	172	3882395	165	3948500	254
3276715	114	3794133	172	3882416	180	3948526	254
3276740	114	3794141	172	3882459	171	3948534	254
3276900	64	3795582	170	3883697	165	3993159	190
3276942	64	3795591	170	3883726	171	6520605	274
3276951	64	3795603	170	3883945	180	6804538	278
3277030	64	3795611	170	3883953	180	6808521	295
3277048	64	3795620	170	3885140	180	6808562	295
3277072	64	3795638	170	3887209	164	6961239	298
3277081	64	3795648	170	3887217	164	8053597	298
3277099	64	3796753	169	3887428	164	8124414	275
3277101	64	3796761	169	3911070	190		
3277339	114	3796770	169	3911109	190		
3277347	114	3796788	169	3911117	190		
3278690	65	3796796	169	3911133	190		
3278788	76	3796809	169	3911141	190		
3278921	123	3798231	172	3911150	190		
3278999	121	3798257	172	3947208	246		
3279019	121	3798505	172	3947216	246		
3279035	121	3798521	172	3947224	246		
3281303	117	3798556	172	3947232	246		
3289410	76	3798564	172	3947241	246		
3289524	65	3799102	174	3947540	247		
3289541	65	3799111	174	3947558	247		
3289655	65	3799137	174	3947566	247		
3289911	122	3799153	174	3947574	247		
3289938	76	3799161	174	3947582	247		
3289954	76	3799170	174	3947831	251		
3290154	123	3799575	174	3947849	251		
3290162	123	3799583	174	3947857	251		
3290171	123	3799591	174	3947865	251		
3292061	115	3800089	174	3947873	251		
3292096	115	3800097	174	3947890	251		
3292109	115	3800118	174	3947902	251		

Design no.	Page	Design no.	Page	Design no.	Page
0124/U35	169	84/42K – 84H/42K	158	Fixing system for pull handle – Type 1	294
0138/US956	108	Architectural hardware column display	305	Fixing system for pull handle – Type 2	294
0140/US956	130	Counter display	306	Fixing system no. 10 for pull handles	295
038/US956	121	Drilling jig	299	Fixing system no. 11 for pull handles	296
0400/US956	64	E0138/US956	109	Fixing system no. 5 for pull handles	294
0510/U26	144	E0140/US956	131	Fixing system no. 7 for pull handles	295
0515/US956	150	E038/US956	123	Fixing system no. 8 for pull handles	295
0530/US952	70	E0400/US956	65	FS-E138F/353K	124
0643/US944	86	E0430/US956	138	FS-E138F/42/42S	124
0670/US956	30	E0440/US956	48	HCS® A113	222
0672/US956	52	E050/US956	76	HCS® A138S	224
068L/U23	179	E0643/US944	87	HCS® A1530	218
0710/U26	136	E0800/US956	145	HCS® A1880	212
0766/U23	173	E1138Z/29N/29NS	110	HCS® A1885	220
0810/US10	115	E1138Z/29NR	110	HCS® A197S	216
0810SVS/U10	115	E1138Z/42K/42KS	109	HCS® Clip-in components – aluminium	235
099/US952	106	E1138Z/849	111	HCS® Clip-in components – brass	236
1107/17K	168	E1140Z/29N/29NS	132	HCS® Clip-in components – nylon	236
1107/267	168	E1140Z/29NR	132	HCS® cylinder	235
1117/202SP	166	E1140Z/42K/42KS	131	HCS® decorative rings	231, 232
1117/88K/88KS	166	E1140Z/848	133	HCS® GD A113	223
1124/24K/24KS	170	E1388Z/17K/17KS	165	HCS® GD A138S	225
1124/35P/35PS	169	E1388Z/23P/23PS	165	HCS® GD A1530	219
1124/843K/843KS	169	E138Z/353FL	122	HCS® GD A1880	213
1138/42K/42KS	108	E138Z/355FL	122	HCS® GD A1885	221
1140/42K/42KS	130	E138Z/42K/42KS	123	HCS® GD A197S	217
1171/17K/17KS	172	E1400Z/42K/42KS	65	HCS® GD A760/761	229
1171/88K/88KS	172	E1400Z/848	66	HCS® GD A761/762	229
137/42K – 42KS	120	E1401F/42/42KVS	128	HCS® GD A763	230
138L/300PI	120	E1420Z/42K/42KS	68	HCS® GD A764	230
138L/304L	121	E1430Z/29N/29NS	139	HCS® GD K138S	228
138L/42K/42KS	121	E1430Z/29NR	139	HCS® K138S	227
139/42K – 42KS	142	E1430Z/42K/42KS	138	HCS® latch sets	232, 233
1400/42K/42KS	64	E1430Z/848	140	HCS® M138S	226
1405/42K/42KS	100	E1433Z/17K/17KS	164	HCS® M156S	210
1505/42K/42KS	78	E1440Z/19K/19KS	48	HCS® M1950S	211
1510/42K/42KS	144	E1440Z/847	49	HCS® sample block	308
1515/42K/42KS	150	E1444Z/17K/17KS	180	HCS® sample block for glass doors	309
1530/42K/42KS	70	E1444Z/23P/23PS	180	HCS® strike plates	233, 234
1643/52K/52KS	86	E150Z/42K/42KS	76	Hexagon column display	305
1643/US950S (100 Nm)	86	E1555Z/17K/17KS	171	HOPPE Quick-FitPlus sample case	310
1644/52KV/52KVS	92	E1555Z/23P/23PS	171	HS-0643/419/420	86
1644F/52/52KVS	92	E1643Z/52K/52KS	87	HS-M0642/419N/423	102
1670/19K/19KS	30	E1643Z/848	88	HS-M0643/419N/423	89
1672/19K/19KS	52	E1643Z/US950S (100 Nm)	87	i-Solid profile spindle	298
168L/30P/30PS	179	E1644F/52/52KVS	93	M029/US937	27, 34
168L/88K/88KS	179	E1644Z/52KV/52KVS	93	M051/US956	146
17KS	168	E1644Z/848	94	M0515/US956	151
1710/42K/42KS	136	E1800Z/42K/42KS	145	M0530/US956	72
1766/17K/17KS	174	E484	287	M0535/US956	42
1766/23P/23PS	173	E487	287	M0545/US956	80
1766/3022P	173	E497	287	M0550/US920	56
1766/88K/88KS	174	E50/42	159	M0558/US918	18
1767/2705	167	E5000	273	M056/US937	22
1810/273P	114	E5010	273	M0623/US943	96
1810/30P/30PS	117	E5011	274	M0642/US910	103
1810/3346	116	E5012	275	M0642/US943	102
1810/42K/42KS	115	E5014	276	M0643/US943	89
199/42K	106	E5015	276	M0643S/US943 (100 Nm)	89
430	181	E50G/55	160	M072/7	194
4920 – Set 1	250	E5100	277	M0740/U23	177
4920 – Set 2	250	E5110	277	M0788/US910	190
4920 – Set 3	251	E5210	277	M0941/U23	175
4920 – Set 5	251	E5215	278	M0950/U9	38
4921 – Set 1	252	E5310	278	M123/15K-2/15KS-2	204
4921 – Set 2	252	E5311	279	M129/19K/19KS	34
4921 – Set 3	253	E5511	279	M151/265	146
4921 – Set 5	253	E5600	280	M151/30P/30PS	147
4930 – Set 1	254	E5606	280	M151/42K/42KS	147
4930 – Set 2	254	E58/42	159	M1515/23K/23KS	151
4930 – Set 3	255	E663	288	M1515/29N/29NS	152
4930 – Set 5	255	E664	289	M1515/29NR	152
5004DR with design-rings	271	E665	289	M1515/849	153
5004	270	E695	286	M1530/23K/23KS	72
5010	270	E847S-SK	19, 39, 49	M1530/29N/29NS	73
5040	271	E848S-SK	66, 88, 90	M1530/29NR	73
5210	272	E848S-SK	94, 97, 104	M1530/379	71
53H/42K	156	E848S-SK	133, 140	M1530/849	74
53H/60	156	E849S-SK	45, 74, 83	M1535/265	42
53S/42K	157	E849S-SK	111, 153	M1535/29N/29NS	44
5310	272	Expanding spindle	297	M1535/29NR	44
5710	273	F/Ei-Profile spindle	298	M1535/849	45
60L/42K	157	FDW-Profile spindle	298	M1545/23K/23KS	80
63-75/42K	158	Fixing set for knobs	299	M1545/29N/29NS	82

Index – in numerical ascending order by design-number

Design no.	Page	Design no.	Page	Design no.	Page
M1545/29NR	82	M1788/2788N	190	M695	286
M1545/30P/30PS	81	M1941/332P	175	M696	286
M1545/849	83	M1941/88K/88KS	176	M8 HCS® sample board	307
M1550/21/21S	58	M1950/15K/15KS	38	M81H/42	161
M1550/25K/25KS	56	M1950/847	39	M84/42K	161
M1558/18K/18KS	18	M1-M6 sample boards	306	M855/25HK/25K/25KVS/1550	57
M1558/847	19	M40H/17K	181	MOL91/42KS (for door safety catch)	290
M156/19K/19KS	22	M425	56	OL92/42KS (for door safety catch)	290
M1602/18K/18KS	26	M43/843	89	Profile spindle	297
M1602/19K/19KS	27	M462 – Set 7	242	PSK-M0642/US943	102
M1603/23K/23KS	126	M463 – Set 7	243	PSK-M0643/US943	89
M1613/300LF	200	M471 – Set 7	246	Sample block	309
M1613/88K-2/88KS-2	200	M472 – Set 7	247	Sample block – sliding door set	309
M1623/843K/843KS	96	M497	288	Sample board	306, 307
M1623/848	97	M515LG/23	269	Sample boards with special dimensions	310
M1642/42K/42KS	103	M516	262	Sample case	310
M1642/843K/843KS	102	M516/19	262	Secustik® sample	308
M1642/844P/844PS	102	M517	263	Solid spindle	296
M1642/848	104	M517/19	263	Spring cassette	299
M1643/843K/843KS	89	M5170/19	264	Star-shaped column	304
M1643/848	90	M543	269	Triangular column display	304
M170/15K-2/15KS-2	202	M545LG	268	Wall display	304
M172/15K-2/15KS-2	194	M545LG/23	268	Window handle sample board	307
M1740/23P/23PS	177	M550LG	265	Window handle sample case	309
M1740/332P	177	M553	281	Window handle sample with adj. spindle	308
M1740/88K/88KS	178	M63/42K	160		

Product overview

(in alphabetical order by series names)

Product lines		Material *				Interior door handles	HCS® – HOPPE Compact System	Programme for sliding doors	Pull handles
Series name	Design number	A	E	K	M				
duravert®									
Acapulco	M1558				•	p. 16			
Athinai	M156				•	p. 20	p. 210		p. 262
Bergen	M1602				•	p. 24			
Brisbane	1670	•				p. 28			
Bruxelles	M129				•	p. 32			
Capri	M1950				•	p. 36	p. 211		
Genova	M1535				•	p. 40			
Las Vegas	E1440		•			p. 46			
Melbourne	1672	•				p. 50			
Monte Carlo	M1550				•	p. 54			p. 265
Perth	A1880	•					p. 212		
Ravenna new	M1788				•	p. 188			
Singapore	M172				•	p. 192			
Product areas which cover all product lines		•	•	•	•		p. 229, p. 235	p. 240	
duraplus®									
Amsterdam	(E)1400	•	•			p. 63			
Antwerpen	E1420		•			p. 67			
Arles	A197S	•					p. 216		
Atlanta	(M)1530	•			•	p. 69	p. 218		
Bonn	E150		•			p. 75			
Bremen new	1505	•				p. 77			
Cannes	M1545				•	p. 79			p. 268
Dallas	(E/M)1643	•	•		•	p. 85			p. 269
Detroit new	(E)1644	•	•			p. 91			
Elba	M1613				•	p. 199			
Groningen	A1885	•					p. 220		
Houston	M1623				•	p. 95			
Lecce new	1405	•				p. 99			
London	A113	•					p. 222		
Los Angeles new	M1642				•	p. 101			
Luxembourg	199	•				p. 105			
Marseille	(E)1138	•	•			p. 107			
New York	1810	•				p. 113			
Paris	(E/K)138	•	•	•		p. 119	p. 224		
Ródos	M1603				•	p. 125			
Rotterdam new	E1401		•			p. 127			
Stockholm	(E)1140	•	•			p. 129			
Tôkyô	1710	•				p. 135			
Trondheim	E1430		•			p. 137			
Valencia	M170				•	p. 201			
Vancouver	139	•				p. 141			
Verona	1510, E1800, M151	•	•		•	p. 143			
Vitória	(M)1515	•			•	p. 149			p. 269
Wien	M123				•	p. 203			
Product areas which cover all product lines		•	•	•	•	p. 155	p. 229, p. 235	p. 244	p. 270
duranorm®									
Alta new	E1433		•			p. 164			
Baden new	E1388		•			p. 165			
Birmingham	1117	•				p. 166			
Cadiz	1767	•				p. 167			
Dubayy	1107	•			•	p. 168			
Dublin new	1124	•				p. 169			
Essen new	E1555		•			p. 171			
Ibiza new	1171	•			•	p. 172			
Maribor new	1766	•			•	p. 173			
Roissy	M1941				•	p. 175			
Santiago	M1740				•	p. 177			
Seattle new	168L	•			•	p. 179			
Utrecht new	E1444	•	•			p. 180			
Product areas which cover all product lines		•	•		•	p. 181		p. 248	

* Materials: A = aluminium, E = stainless steel, K = nylon, M = brass

Aluminium

 F1 Silver	 F1-2 Matt silver	 F1/F69 Silver/satin stainless steel	 F2 Champagne	 F33-1 Medium bronze matt	 F4 Bronze
 F49/F9-2 Polished chrome/ matt steel	 F9 Steel	 F9-2 Matt steel	 F94-1 Satin	 F249 Polished chrome finish	 F271* Polished brass finish
 F7016 Gris anthracite	 F8707 Dark brown semi-gloss	 F9005 Jet black	 F9010 Pure white	 F9016 Traffic white	

* Suitable for interior applications only.




























Stainless steel

 F68 Polished	 F69 Satin	 F69/F1 Satin/aluminium silver	 F77-R Brass colour - Resista®
---	--	---	--

Nylon

 F7016M Matt anthracite grey	 F7022M Matt umber grey	 F7032M Matt pebble grey	 F7037M Matt dusty grey	 F9005M Matt jet black	 F9010M Matt pure white
--	---	--	---	--	---

Brass

 F41 Satin chrome	 F41-R Satin chrome - Resista®	 F42-R Satin nickel - Resista®	 F42-R/F69 Satin nickel/ satin stainless steel	 F45-R Polished/satin chrome - Resista®	 F46-R Satin chrome-coloured/ polished - Resista®
 F49 Polished chrome	 F49-R Polished chrome - Resista®	 F49/F69 Polished chrome/ satin stainless steel	 F49-R/F41-R Polished chrome/satin chrome - Resista®	 F49/F9 Polished chrome/ aluminium steel	 F49-R/F98-R Polished chrome/matt chrome - Resista®
 F52-R/F77-R Satin/polished brass colour - Resista®	 F54 Antiqua	 F55 Traditional antiqua	 F56 Silver antiqua	 F65-R Satin/polished nickel coloured - Resista®	 F71 Polished
 F72 Satin	 F73 Antiqua	 F73M-1 Antiqua matt	 F74-R Satin/polished brass colour - Resista®	 F75-R Polished/satin brass colour - Resista®	 F76 Earth antiqua
 F77-R/F52-R Polished/satin brass colour - Resista®	 F98-R Matt chrome - Resista®	 F77-R Brass colour - Resista®			


Core-range


Service-Range

for further information see p. 8

Differences in colours can occur due to the limitations of the printing process.